




*Recommended Spare Part

Type : MPR OVT (s) 2N~ 380-415V 6.4kW
 Articulenumber : 99861

From mach. nr. : 1RE08597
 Date : 05-2021


Page : 1 - 4
 Rev : 1.1 - 15-07-2022

Rated voltage : 2N~ 380-415V 50-60Hz 6460W

Drawer : JK
 Date : 26-05-2021

Spare Parts Info

ANIMO
 www.animo.eu



*Recommended Spare Part

Type : MPR OVT (s) 2N~ 380-415V 6.4kW
 Articulenumber : 99861

From mach. nr. : 1RE08597
 Date : 05-2021

Page : 2 - 4
 Rev : 1.1 - 15-07-2022



Rated voltage : 2N~ 380-415V 50-60Hz 6460W

Drawer : JK
 Date : 26-05-2021

Spare Parts Info

ANIMO

www.animo.eu



*Recommended Spare Part

Type : MPR OVT (s) 2N~ 380-415V 6.4kW
 Articulenumber : 99861

From mach. nr. : 1RE08597
 Date : 05-2021


Page : 3 - 4
 Rev : 1.1 - 15-07-2022

Rated voltage : 2N~ 380-415V 50-60Hz 6460W

Drawer : JK
 Date : 26-05-2021

Spare Parts Info

ANIMO
 www.animo.eu



Type : OPTIVEND (s) TOUCH

Articlenumber : 99861

Rated voltage : 2N~ 380-415V 50-60Hz 6460W

From mach.nr. : 1ER08597

Date : 05-2021

Drawer : JK

Date : 10-06-2021

Drawing nr. : S99861 - OVT

Rev. : 1.0

Page : 1 - 1

Circuit Diagram

ANIMO

www.animo.eu