











|         |  |
|---------|--|
| 1004731 | OPTIFRESH BEAN 1 TOUCH - Stainless steel |
| 1004732 | OPTIFRESH BEAN 2 TOUCH - Stainless steel |
| 1004733 | OPTIFRESH BEAN 3 TOUCH - Stainless steel |
| 1004734 | OPTIFRESH BEAN 4 TOUCH - Stainless steel |
| 1006007 | OPTIFRESH BEAN 1 TOUCH - Black           |
| 1006008 | OPTIFRESH BEAN 2 TOUCH - Black           |
| 1006009 | OPTIFRESH BEAN 3 TOUCH - Black           |
| 1006010 | OPTIFRESH BEAN 4 TOUCH - Black           |
| 1006015 | OPTIFRESH BEAN 1 TOUCH - White           |
| 1006016 | OPTIFRESH BEAN 2 TOUCH - White           |
| 1006017 | OPTIFRESH BEAN 3 TOUCH - White           |
| 1006018 | OPTIFRESH BEAN 4 TOUCH - White           |



\*Recommended Spare Part

|  |                                 |                          |                  |
|--|---------------------------------|--------------------------|------------------|
| Type : OPTIFRESH BEAN TOUCH                                | From mach. nr. : 1SA 13557      | Page : 1 - 22            | <br>www.animo.eu |
| Articlenumber : see page 1                                 | Date : 05 - 2017                | Rev : 1.1 - (08-08-2023) |                  |
| Rated voltage : 1N~ 220-240V 50-60Hz 2275W<br>2575W (PEAK) | Drawer : FdB<br>Date : 24-01-17 | <b>Spare Parts Info</b>  |                  |




|               |  |
|---------------|--|
| Type          | : OPTIFRESH BEAN TOUCH                       |
| Articlenumber | : see page 1                                 |
| Rated voltage | : 1N~ 220-240V 50-60Hz 2275W<br>2575W (PEAK) |

|                |             |
|----------------|-------------|
| From mach. nr. | : 1SA 13557 |
| Date           | : 05 - 2017 |
| Drawer         | : FdB       |
| Date           | : 24-01-17  |

|                         |                      |
|-------------------------|----------------------|
| Page                    | : 2 - 22             |
| Rev                     | : 1.1 - (08-08-2023) |
| <b>Spare Parts Info</b> |                      |


\*Recomended Spare Part

**ANIMO**  
www.animo.eu



\*Recommended Spare Part

|  |  |   |   |
|--|--|---|---|
| Type : OPTIFRESH BEAN TOUCH<br>Articulenumber : see page 1 | From mach. nr. : 1SA 13557<br>Date : 05 - 2017 | Page : 3 - 22<br>Rev : 1.1 - (08-08-2023)             | <br><a href="http://www.animo.eu">www.animo.eu</a> |
| Rated voltage : 1N~ 220-240V 50-60Hz 2275W<br>2575W (PEAK) | Drawer : FdB<br>Date : 24-01-17                | <h2 style="text-align: center;">Spare Parts Info</h2> |   |



\*Recomended Spare Part

Type : OPTIFRESH BEAN TOUCH

Articlenumber : see page 1

From mach. nr. : 1SA 13557

Date : 05 - 2017

Page : 4 - 22

Rev : 1.1 - (08-08-2023)

Rated voltage : 1N~ 220-240V 50-60Hz 2275W  
2575W (PEAK)


Drawer : FdB  
Date : 24-01-17

Spare Parts Info

ANIMO

www.animo.eu

# OPTIFRESH BEAN 1



\*Recommended Spare Part

Type : OPTIFRESH BEAN TOUCH  
 Articulenumber : see page 1

From mach. nr. : 1SA 13557  
 Date : 05 - 2017

Page : 5 - 22  
 Rev : 1.1 - (08-08-2023)

Rated voltage : 1N~ 220-240V 50-60Hz 2275W  
 2575W (PEAK)


Drawer : FdB  
 Date : 24-01-17

Spare Parts Info

**ANIMO**

www.animo.eu

# OPTIFRESH BEAN 2



\*Recommended Spare Part

Type : OPTIFRESH BEAN TOUCH  
 Articulenumber : see page 1

From mach. nr. : 1SA 13557  
 Date : 05 - 2017

Page : 6 - 22  
 Rev : 1.1 - (08-08-2023)

Rated voltage : 1N~ 220-240V 50-60Hz 2275W  
 2575W (PEAK)


Drawer : FdB  
 Date : 24-01-17

Spare Parts Info

**ANIMO**

www.animo.eu

# OPTIFRESH BEAN 3



\*Recommended Spare Part


Type : OPTIFRESH BEAN TOUCH  
 Articulenumber : see page 1  
 Rated voltage : 1N~ 220-240V 50-60Hz 2275W  
 2575W (PEAK)

From mach. nr. : 1SA 13557  
 Date : 05 - 2017  
 Drawer : FdB  
 Date : 24-01-17

Page : 7 - 22  
 Rev : 1.1 - (08-08-2023)  
**Spare Parts Info**

**ANIMO**  
 www.animo.eu

# OPTIFRESH BEAN 4



\*Recommended Spare Part

Type : OPTIFRESH BEAN TOUCH

Articlenumber : see page 1

Rated voltage : 1N~ 220-240V 50-60Hz 2275W  
2575W (PEAK)

From mach. nr. : 1SA 13557

Date : 05 - 2017

Drawer : FdB  
Date : 24-01-17

Page : 8 - 22


Rev : 1.1 - (08-08-2023)

Spare Parts Info

# ANIMO


www.animo.eu






\*Recommended Spare Part

|  |                                 |                          |   |
|--|---------------------------------|--------------------------|---|
| Type : OPTIFRESH BEAN TOUCH                                | From mach. nr. : 1SA 13557      | Page : 9 - 22            | <br><a href="http://www.animo.eu">www.animo.eu</a> |
| Articlenumber : see page 1                                 | Date : 05 - 2017                | Rev : 1.1 - (08-08-2023) |   |
| Rated voltage : 1N~ 220-240V 50-60Hz 2275W<br>2575W (PEAK) | Drawer : FdB<br>Date : 24-01-17 | <b>Spare Parts Info</b>  |   |



|  |                                 |                          |                              |
|--|---------------------------------|--------------------------|------------------------------|
| Type : OPTIFRESH BEAN TOUCH                                | From mach. nr. : 1SA 13557      | Page : 10 - 22           | <b>ANIMO</b><br>www.animo.eu |
| Articlenumber : see page 1                                 | Date : 05 - 2017                | Rev : 1.1 - (08-08-2023) |                              |
| Rated voltage : 1N~ 220-240V 50-60Hz 2275W<br>2575W (PEAK) | Drawer : FdB<br>Date : 24-01-17 | <b>Spare Parts Info</b>  |                              |



\*Recommended Spare Part

Type : OPTIFRESH BEAN TOUCH

Articlenumber : see page 1

From mach. nr. : 1SA 13557

Date : 05 - 2017

Page : 11 - 22

Rev : 1.1 - (08-08-2023)


Rated voltage : 1N~ 220-240V 50-60Hz 2275W  
2575W (PEAK)

Drawer : FdB  
Date : 24-01-17


Spare Parts Info

**ANIMO**

www.animo.eu




|  |                                 |                          |                              |
|--|---------------------------------|--------------------------|------------------------------|
| Type : OPTIFRESH BEAN TOUCH                                | From mach. nr. : 1SA 13557      | Page : 12 - 22           | <b>ANIMO</b><br>www.animo.eu |
| Articlenumber : see page 1                                 | Date : 05 - 2017                | Rev : 1.1 - (08-08-2023) |                              |
| Rated voltage : 1N~ 220-240V 50-60Hz 2275W<br>2575W (PEAK) | Drawer : FdB<br>Date : 24-01-17 | <b>Spare Parts Info</b>  |                              |





\*Recommended Spare Part


|  |  |  |   |
|--|--|--|---|
| Type : OPTIFRESH BEAN TOUCH<br>Articulenumber : see page 1 | From mach. nr. : 1SA 13557<br>Date : 05 - 2017 | Page : 13 - 22<br>Rev : 1.1 - (08-08-2023) | <br><a href="http://www.animo.eu">www.animo.eu</a> |
| Rated voltage : 1N~ 220-240V 50-60Hz 2275W<br>2575W (PEAK) | Drawer : FdB<br>Date : 24-01-17                | <h3>Spare Parts Info</h3>                  |   |







|  |                                 |                          |   |
|--|---------------------------------|--------------------------|---|
| Type : OPTIFRESH BEAN TOUCH                                | From mach. nr. : 1SA 13557      | Page : 14 - 22           | <br><a href="http://www.animo.eu">www.animo.eu</a> |
| Articlenumber : see page 1                                 | Date : 05 - 2017                | Rev : 1.1 - (08-08-2023) |   |
| Rated voltage : 1N~ 220-240V 50-60Hz 2275W<br>2575W (PEAK) | Drawer : FdB<br>Date : 24-01-17 | <b>Spare Parts Info</b>  |   |



\*Recommended Spare Part

|  |                                 |                          |   |
|--|---------------------------------|--------------------------|---|
| Type : OPTIFRESH BEAN TOUCH                                | From mach. nr. : 1SA 13557      | Page : 15 - 22           | <br><a href="http://www.animo.eu">www.animo.eu</a> |
| Articlenumber : see page 1                                 | Date : 05 - 2017                | Rev : 1.1 - (08-08-2023) |   |
| Rated voltage : 1N~ 220-240V 50-60Hz 2275W<br>2575W (PEAK) | Drawer : FdB<br>Date : 24-01-17 | Spare Parts Info         |   |



\*Recomended Spare Part

Type : OPTIFRESH BEAN TOUCH

Articlenumber : see page 1

Rated voltage : 1N~ 220-240V 50-60Hz 2275W  
2575W (PEAK)

From mach. nr. : 1SA 13557

Date : 05 - 2017

Drawer : FdB

Date : 24-01-17

Page : 16 - 22

Rev : 1.1 - (08-08-2023)



Spare Parts Info

ANIMO

www.animo.eu





Accessories




\*Recommended Spare Part

|   |   |   |   |
|---|---|---|---|
| <p>Type : OPTIFRESH BEAN TOUCH<br/>                 Articlenumber : see page 1</p>  | <p>From mach. nr. : 1SA 13557<br/>                 Date : 05 - 2017</p> | <p>Page : 17 - 22<br/>                 Rev : 1.1 - (08-08-2023)</p> | <p><b>ANIMO</b><br/>                 www.animo.eu</p> |
| <p>Rated voltage : 1N~ 220-240V 50-60Hz 2275W<br/>                 2575W (PEAK)</p> | <p>Drawer : FdB<br/>                 Date : 24-01-17</p>                | <p><b>Spare Parts Info</b></p>                                      |   |





OMNINO


|                              |                 |  |
|------------------------------|-----------------|--|
| PROJECTIE                    | GETEKEND: TK    | REV. 2.0 170918<br>Changed H&C couplings |
| GECONTROLEERD:               | DATUM: 17-12-15 | BLAD 1 van 1                             |
| WATERMANAGEMENT OPTIFRESH NG |                 | TR0610                                   |





|  |                                |                        |             |
|--|--------------------------------|------------------------|-------------|
| Type : OPTIFRESH BEAN 1 TOUCH<br>Articlenumber : 1004731-1006007-1006015 | From mach.nr. : 1SA 13557      | Drawing nr. : S1004731 |             |
|  | Date : 05-2017                 | Rev. : 1.2             | Page : 1 -1 |
| Rated voltage : 1N ~220-240V 50-60Hz 2275W (NOM)<br>2575W (PEAK)         | Drawer : TJ<br>Date : 31-01-17 | <b>Circuit Diagram</b> |             |




|   |  |  |   |
|---|--|--|---|
| Type : OPTIFRESH BEAN 2 TOUCH<br>Articulenumber : 1004732-1006008-1006016 | From mach.nr. : 1SA 13557<br>Date : 05-2017                      | Drawing nr. : S1004732<br>Rev. : 1.2    Page : 1-1 | <br>www.animo.eu |
|   | Rated voltage : 1N ~220-240V 50-60Hz 2275W (NOM)<br>2575W (PEAK) | Drawer : TJ<br>Date : 31-01-17                     |   |



|   |  |  |   |
|---|--|--|---|
| Type : OPTIFRESH BEAN 3 TOUCH<br>Articulenumber : 1004733-1006009-1006017 | From mach.nr. : 1SA 13557<br>Date : 05-2017                      | Drawing nr. : S1004733<br>Rev. : 1.2    Page : 1 - 1 | <br>www.animo.eu |
|   | Rated voltage : 1N ~220-240V 50-60Hz 2275W (NOM)<br>2575W (PEAK) | Drawer : TJ<br>Date : 31-01-17                       |   |



- bl blauw. blue. blau. bleu.
- br bruin. brown. braun. brun.
- gl geel. yellow. gelb. jaune.
- gr groen. green. grün. vert.
- ps paars. purple. violett. violet
- gs grijs. gray. grau. gris.
- rd rood. red. rot. rouge.
- rs roze. pink. rosa. rose.
- zw zwart. black. Schwarz. noir

|   |  |  |   |
|---|--|--|---|
| Type : OPTIFRESH BEAN 4 TOUCH<br>Articulenumber : 1004734-1006010-1006018 | From mach.n.r. : 1SA 13557<br>Date : 05-2017                     | Drawing nr. : S1004734<br>Rev. : 1.2    Page : 1 - 1 | <br>www.animo.eu |
|   | Rated voltage : 1N ~220-240V 50-60Hz 2275W (NOM)<br>2575W (PEAK) | Drawer : TJ<br>Date : 31-01-17                       |   |