








1004559	OPTIBEAN 2 TOUCH - Stainless steel
1004560	OPTIBEAN 2 XL TOUCH - Stainless steel
1004561	OPTIBEAN 3 TOUCH - Stainless steel
1004562	OPTIBEAN 3 XL TOUCH - Stainless steel
1004904	OPTIBEAN 2 TOUCH - Black
1004605	OPTIBEAN 2 XL TOUCH - Black
1004906	OPTIBEAN 3 TOUCH - Black
1004907	OPTIBEAN 3 XL TOUCH - Black
1005005	OPTIBEAN 2 TOUCH - White
1005006	OPTIBEAN 2 XL TOUCH - White
1005007	OPTIBEAN 3 TOUCH - White
1005008	OPTIBEAN 3 XL TOUCH - White



*Recomended Spare Part

Type : OPTIBEAN 2 / 3 (XL) TOUCH
 Articulenumber : see page 1

From mach. nr. : 1AB XXXXX
 Date : 01 - 2018


Page : 1 - 16
 Rev : 9.0 (10-11-2025)

Rated voltage : 1N~ 220-240V 50Hz 2100W

Drawer : FdB
 Date : 14-11-16

Spare Parts Info

ANIMO
 www.animo.eu



*Recomended Spare Part

Type : OPTIBEAN 2 / 3 (XL) TOUCH
Articlenumber : see page 1

From mach. nr. : 1AB XXXXX
Date : 01 - 2018

Page : 2 - 16
Rev : 9.0 (10-11-2025)





Rated voltage : 1N~ 220-240V 50Hz 2100W

Drawer : FdB
Date : 14-11-16

Spare Parts Info

ANIMO

www.animo.eu



*Recommended Spare Part

Type : OPTIBEAN 2 / 3 (XL) TOUCH
Articlenumber : see page 1

From mach. nr. : 1AB XXXXX
Date : 01 - 2018


Page : 3 - 16
Rev : 9.0 (10-11-2025)

Rated voltage : 1N~ 220-240V 50Hz 2100W

Drawer : FdB
Date : 14-11-16

Spare Parts Info

ANIMO
www.animo.eu



Type : OPTIBEAN 2 / 3 (XL) TOUCH
 Articulenumber : see page 1

From mach. nr. : 1AB XXXXX
 Date : 01 - 2018

Page : 4 - 16
 Rev : 9.0 (10-11-2025)


Rated voltage : 1N~ 220-240V 50Hz 2100W

Drawer : FdB
 Date : 14-11-16

Spare Parts Info

ANIMO

www.animo.eu



*Recomended Spare Part

Type : OPTIBEAN 2 / 3 (XL) TOUCH
Articlenumber : see page 1

From mach. nr. : 1AB XXXXX
Date : 01 - 2018

Page : 5 - 16
Rev : 9.0 (10-11-2025)


Rated voltage : 1N~ 220-240V 50Hz 2100W

Drawer : FdB
Date : 14-11-16

Spare Parts Info

ANIMO

www.animo.eu



Type : OPTIBEAN 2 / 3 (XL) TOUCH
 Articulenumber : see page 1

From mach. nr. : 1AB XXXXX
 Date : 01 - 2018

Page : 6 - 16
 Rev : 9.0 (10-11-2025)


Rated voltage : 1N~ 220-240V 50Hz 2100W

Drawer : FdB
 Date : 14-11-16

Spare Parts Info

ANIMO

www.animo.eu



Tubing diagram

16	9035036 12 x 8 L= 200 mm Silicone
15	9035038 12 x 8 L= 240 mm Silicone
14	9035086 12 x 8 L= 305 mm Silicone
13	1009293 12 x 8 L= 180 mm Silicone
12	1001344 12 x 8 L= 140 mm Silicone
11	1007138 12 x 8 L= 50 mm Silicone
10	1005843 4 x 2 L= 260 mm FEP
9	1004849 4 x 2 L= 530 mm FEP
8	1001346 6 x 4 L= 155 mm FEP
7	1009294 6 x 4 L= 170 mm FEP
6	1001936 6 x 4 L= 330 mm FEP
5	1001942 8 x 6 L= 550 mm FEP
4	1001939 8 x 6 L= 280 mm FEP
3	1004675 8 x 6 L= 160 mm FEP
2	1001940 8 x 6 L= 310 mm FEP
1	1004675 8 x 6 L= 160 mm FEP

*Recomended Spare Part

Type : OPTIBEAN 2 / 3 (XL) TOUCH
Articlenumber : see page 1

From mach. nr. : 1AB XXXXX
Date : 01 - 2018


Page : 7 - 16
Rev : 9.0 (10-11-2025)

Rated voltage : 1N~ 220-240V 50Hz 2100W

Drawer : FdB
Date : 14-11-16

Spare Parts Info

ANIMO
www.animo.eu



*Recomended Spare Part

Type : OPTIBEAN 2 / 3 (XL) TOUCH

Articlenumber : see page 1

From mach. nr. : 1AB XXXXX

Date : 01 - 2018

Page : 8 - 16

Rev : 9.0 (10-11-2025)

Rated voltage : 1N~ 220-240V 50Hz 2100W




Drawer : FdB

Date : 14-11-16

Spare Parts Info

ANIMO

www.animo.eu



*Recomended Spare Part

Type : OPTIBEAN 2 / 3 (XL) TOUCH

Articlenumber : see page 1

From mach. nr. : 1AB XXXXX

Date : 01 - 2018

Page : 9 - 16

Rev : 9.0 (10-11-2025)

Rated voltage : 1N~ 220-240V 50Hz 2100W



Drawer : FdB

Date : 14-11-16

Spare Parts Info

ANIMO

www.animo.eu



*Recomended Spare Part

Type : OPTIBEAN 2 / 3 (XL) TOUCH

Articlenumber : see page 1

From mach. nr. : 1AB XXXXX

Date : 01 - 2018

Page : 10 - 16

Rev : 9.0 (10-11-2025)

Rated voltage : 1N~ 220-240V 50Hz 2100W

Drawer : FdB


Date : 14-11-16

Spare Parts Info


ANIMO

www.animo.eu


Accessories




1004954
Hygiene kit




1010947
Service kit



1004945
Hose kit permanently drain



1004917 *(37mm), 1004918 *(44mm XL)
Replacement kit 25k



1002876*
Boiler replacement kit OptiBean

*Recomended Spare Part

Type : OPTIBEAN 2 / 3 (XL) TOUCH
Articlenumber : see page 1

From mach. nr. : 1AB XXXXX
Date : 01 - 2018

Page : 11 - 16
Rev : 9.0 (10-11-2025)


Rated voltage : 1N~ 220-240V 50Hz 2100W

Drawer : FdB
Date : 14-11-16

Spare Parts Info

ANIMO


www.animo.eu



Watermanagement OptiBean
 - incl. option boiler drain solution
 - incl. descaling solution boiler & valves

OMINIA

PROJECTIE	GETEKEND: TK	REV. 4.0
GECONTROLEERD:	GECONTROLEERD:	23-03-2023
DATUM: 15-10-2015		3 weg ventiel naar 2-weg ventiel aangepast
WATERMANAGEMENT OPTIBEAN (NG/Touch)		BLAD 1 van 1
		TR0609
		A3



Type : OPTIBEAN 2 TOUCH I / B / W
 Articulenumber : 1004559 / 1004904 / 1005005

Rated voltage : 1N ~220-240V 50-60Hz 2100W

From mach.nr. : 4Z28737
 Date : 11-2016

Drawer : TJ
 Date : 16-11-2016


Drawing nr. : S1004559

Rev. : 1.4 Page : 1 -1

Circuit Diagram

ANIMO

www.animo.eu



Type : OPTIBEAN 2 XL TOUCH I / B / W
 Articulenumber : 1004560 / 1004905 / 1005006

Rated voltage : 1N ~220-240V 50-60Hz 2100W

From mach.nr. : 4Z28737
 Date : 11-2016

Drawer : TJ
 Date : 16-11-2016


Drawing nr. : S1004560

Rev. : 1.4 Page : 1 -1

Circuit Diagram

ANIMO

www.animo.eu



Type : OPTIBEAN 3 TOUCH I / B / W
 Articulenumber : 1004561 / 1004906 / 1005007

Rated voltage : 1N ~220-240V 50-60Hz 2100W

From mach.nr. : 4Z28737
 Date : 11-2016

Drawer : TJ
 Date : 16-11-2016


Drawing nr. : S1004561

Rev. : 1.4 Page : 1 -1

Circuit Diagram

ANIMO

www.animo.eu



Type : OPTIBEAN 3 XL TOUCH I / B / W
 Articulenumber : 1004562 / 1004907 / 1005008

Rated voltage : 1N ~220-240V 50-60Hz 2100W

From mach.nr. : 4Z28737
 Date : 11-2016

Drawer : TJ
 Date : 16-11-2016

Drawing nr. : S1004562

Rev. : 1.4 Page : 1 -1

Circuit Diagram

ANIMO

www.animo.eu