



VENDING EQUIPMENT

PRICE LIST 2024/2

ANIMO
DEDICATED TO EVERY CUP



ABOUT ANIMO

We make premium-quality coffee equipment and vending systems
that are user-friendly, durable and convenient to maintain.

Our machines deliver a wide range of fresh, hot beverages time after time.

Everything from freshly ground espresso, cappuccino or latte macchiato
to tea, hot chocolate and instant soup. We've been doing business since 1950 in
more than 100 countries worldwide.

Because good coffee takes a good machine. And a good machine
takes experience, expertise and dedication.

DEDICATED TO EVERY CUP

Follow us



SUSTAINABLE AND RESPONSIBLE CHOICE

Animo is aware of the general interest in the demand of sustainable manufacturing and wants to make a contribution to enhance corporate social responsibility (CSR) in the chain of values. Animo feels strongly about sustainable profit and continuity in line with the responsibility for the environment, society and work.

Right from its foundation, Animo has worked with high-quality stainless steel, not only indestructible, but also 100% recyclable raw material.

Animo has paid attention to saving energy, both short and long term, with the motto: “Recycle to the Max”, and is allied with Dutch organizations weee[®] Nederland, CSR the Netherlands NVLG and FME.

For more information: www.animo.eu > about Animo > CSR



INDEX

PRICE CHANGES, PRINTING AND TYPESETTING ERRORS RESERVED.

BEANS (ESPRESSO)

OptiMe X 11 / OptiMe X 12 / OptiMe X 21 / OptiMe X 22	8
CHOOSE YOUR VERSION	9
THE MACHINE OPTIONS	10
AND THE ADD ONS	11
ACCESSORIES	12

OptiMe 11 / OptiMe 12 / OptiMe 21 / OptiMe 22	18
SELECT THE LOOK	19
THE MACHINE OPTIONS	20
AND THE ADD ONS	20
ACCESSORIES	22

BEANS (ESPRESSO)

OptiBean X 10 / OptiBean X 11	28
OptiBean X 12 / OptiBean X 13	28
OptiBean X 20 / OptiBean X 21	29
OptiBean X 22 / OptiBean X 23	29
OptiBean X 12 TS / OptiBean X 22 TS	30
SELECT THE LOOK	30
THE MACHINE OPTIONS	31
AND THE ADD ONS	32
OptiBean X - ACCESSORIES	33

OptiBean 2 Touch / OptiBean 2 XL Touch	38
OptiBean 3 Touch / OptiBean 3 XL Touch	38
OptiBean Touch - OPTIONS	39
OptiBean Touch - ACCESSORIES	41

FRESH BREW

OptiFresh 1 Touch / OptiFresh 2 Touch	46
OptiFresh 3 Touch / OptiFresh 4 Touch	46
OptiFresh Bean 1 Touch / OptiFresh Bean 2 Touch	47
OptiFresh Bean 3 Touch / OptiFresh Bean 4 Touch	47
OptiFresh (Bean) Touch - OPTIONS	48
OptiFresh (Bean) Touch - ACCESSORIES	50

INSTANT

OptiVend 11s Touch / OptiVend 21s Touch	56
OptiVend 32s Touch / OptiVend 11s TS Touch	56
OptiVend 32 Touch / OptiVend 33 Touch	57
OptiVend 42 Touch / OptiVend 43 Touch	57
OptiVend 11 TS Touch / OptiVend 22 TS Touch	58
OptiVend 32 TS Touch / OptiVend 33 TS Touch	58
OptiVend 42 TS Touch / OptiVend 43 TS Touch	59
OptiVend 11 TL Touch / OptiVend 22 TL Touch	59
OptiVend 22 TS HS DUO Touch / OptiVend 42 TS HS DUO Touch	60
SELECT THE LOOK	61
THE MACHINE OPTIONS	62
AND THE ADD ONS	64
ACCESSORIES	65

STILL WATER

OptiCool / OptiCool TS	72
Filter systems	73
Cleaning products	75
Base Cabinet	76
Payment systems	78
Dimensions and weight equipment	82
General terms and conditions for delivery and payment Animo B.V., see animo.eu	




OptiMeX

Just the way you like it.



X-press BREWER

- Capacity espresso brewer: 6 - 20 gr / 25 – 350 ml
- Variable tamping pressure (7 levels)
- Swiss made
- Double cup in one cycle
- Easy to clean
- TWO in ONE; espresso and fresh brew coffee



Curious how the X-press brewer works? Scan the QR code.



ANIMO

The OptiMe X from Animo is a revolution in the world of coffee, where every detail has been carefully considered to provide the ultimate coffee experience. With the OptiMe X, true taste is in the smallest details. Whether you crave a strong espresso, the perfect cappuccino, or a delicious lungo, the OptiMe X ensures that every sip is a reflection of quality and precision.

SALES SPECIFICATIONS

- Recommended daily output: up to 125 beverages
- X-press brewer
- Great taste and fully customisable
- Durable machine (high quality components)
- Compact 360° design
- Easy to swipe 7" touchscreen with intuitive user-interface
- Ceramic grinding mechanism (Ditting®) for ultra long-life (± 150.000 cups)
- One or two bean canisters/grinders
- One or two canisters for instant ingredients
- Intelligent Energy Save Mode
- Separate Hot Water Tap
- Adjustable OptiLight LED lighting (any colour, RGB)
- Screensaver to show logo, image, video or advertisement
- Different background colours in display
- Prepared for many payment systems (MDB)
- Prepared for EVA DTS/MDB/DEX-UCS
- Lockable bean canister(s)
- Strength control (also for milk and sugar)
- Double outlet for the real espresso experience
- Easy user support on screen (with animations)
- Mixer system with adjustable mixer speed (RPM)
- Energy label A+

TECHNICAL SPECIFICATIONS

- X-press brewer capacity 6 - 20 gr/25 - 350 ml
- Capacity bean hopper: 1x 1.200 gr (160 cups) | 2x 600 gr (2x 80 cups)
- Hourly capacity: 120 coffee: 60 cups (single brew), 120 cups (double brew)
- Capacity boiler: 1.1 ltr, 1800W
- Brewing time, cup (120 ml): 25 - 30 sec
- Adjustable cup tray: 50 - 105 mm
- Max. tap height: 165 mm
- Electrical connection: 220-240 V/50-60 Hz/1.950 W
- Rotary pump: 10 bar
- Ultra quick grinder, noise level < 70 dB
- Fixed water connection: 3/4"
- Large waste compartment: 550 gr (abt. 80 pucks)
- Drip tray: 1,25 ltr with easy connection to drainage


DRINK SELECTIONS

The drink selections depend on the ingredients that you select for each canister.

	X 11	X 12	X 21	X 22
Coffee ☕	✓	✓	✓	✓
Coffee with milk	✓	✓	✓	✓
Coffee with sugar		⊙	⊙	⊙
Coffee with milk & sugar		⊙		⊙
Espresso ☕	✓	✓	✓	✓
Cappuccino ☕	✓	✓	✓	✓
Latte Macchiato	✓	✓	✓	✓
Coffee choc		✓		✓
Chocolate ☕	⊙	✓	⊙	✓
Wiener Melange		✓		✓
Hot water	✓	✓	✓	✓
Espresso choc		✓		✓
Decaf		⊙	⊙	⊙
Tea		⊙	⊙	⊙
Hot milk	⊙	⊙	⊙	⊙
Chocolate with milk ☕		⊙		⊙
Double espresso	✓	✓	✓	✓


Not all options are available together in one machine.

- ✓ Standard configuration from factory
- ⊙ Adjustable selections (depending on the chosen ingredients)
- ☕ Possibility of two cups at once




STEP 1

FIRST THE MACHINE




OptiMe X 11

Capacity espresso brewer:	6 - 20 gr
Number of bean hoppers/grinders (1.2 kg):	1
Number of instant canisters:	1 (2.3 ltr)
Number of mixers:	1
Dimensions WxDxH:	380x515x600 mm
Coffee beans:	abt. 1200 gr / 160 cups
2.3 ltr Topping:	abt. 1400 gr / 200 cups
2.3 ltr Chocolate:	abt. 1950 gr / 120 cups




OptiMe X 12

Capacity espresso brewer:	6 - 20 gr
Number of bean hoppers/grinders (1.2 kg):	1
Number of instant canisters:	2 (1 ltr)
Number of mixers:	1
Dimensions WxDxH:	380x515x600 mm
Coffee beans:	abt. 1200 gr / 160 cups
1 ltr Topping:	abt. 600 gr / 85 cups
1 ltr Chocolate:	abt. 800 gr / 50 cups



OptiMe X 21

Capacity espresso brewer:	6 - 20 gr
Number of bean hoppers/grinders (600 gr):	2
Number of instant canisters:	1 (2.3 ltr)
Number of mixers:	1
Dimensions WxDxH:	380x515x600 mm
Coffee beans:	abt. 2x 600 gr / 160 cups
2.3 ltr Topping:	abt. 1400 gr / 200 cups
2.3 ltr Chocolate:	abt. 1950 gr / 120 cups



OptiMe X 22

Capacity espresso brewer:	6 - 20 gr
Number of bean hoppers/grinders (600 gr):	2
Number of instant canisters:	2 (1 ltr)
Number of mixers:	1
Dimensions WxDxH:	380x515x600 mm
Coffee beans:	abt. 2x 600 gr / 160 cups
1 ltr Topping:	abt. 600 gr / 85 cups
1 ltr Chocolate:	abt. 800 gr / 50 cups

Article no. Recommended
Retail Price in €

1012312	■	5.035,-
1012313	□	5.035,-

Net unit price in €,
based on order quantity

1 unit	3.125,00
2 - 3 units	3.062,50
4 - 7 units	3.000,00
8 - > units	2.937,50

1012314	■	5.180,-
1012315	□	5.180,-

Net unit price in €,
based on order quantity

1 unit	3.215,00
2 - 3 units	3.150,70
4 - 7 units	3.086,40
8 - > units	3.022,10

1012318	■	5.700,-
1012319	□	5.700,-

Net unit price in €,
based on order quantity

1 unit	3.535,00
2 - 3 units	3.464,30
4 - 7 units	3.393,60
8 - > units	3.322,90

1012320	■	5.965,-
1012321	□	5.965,-

Net unit price in €,
based on order quantity

1 unit	3.695,00
2 - 3 units	3.621,10
4 - 7 units	3.547,20
8 - > units	3.473,30

CHOOSE YOUR VERSION

A

STANDARD ALL BLACK

FRONT COLOUR**Black RAL 9005****PANELS** SIDE AND BACK**Black RAL 9005****DECO** PANEL**Black****B**

STANDARD ALL WHITE

FRONT COLOUR**White RAL 9003****PANELS** SIDE AND BACK**White RAL 9003****DECO** PANEL**Mirror**

STEP 2

THE MACHINE OPTIONS

OTHER COLOUR COMBINATIONS THAN STANDARD*

* Delivery time on request.

Article no. Recommended
Retail Price in €

BLACK FRONT AND
BLACK DECO PANEL



Black RAL 9005

WHITE SIDE AND BACK PANEL



White RAL 9003

1012341 85,-

WHITE FRONT AND
MIRROR DECO PANEL



White RAL 9003

BLACK SIDE AND BACK PANEL



Black RAL 9005

11012342 85,-

OTHER DECO PANEL THAN STANDARD



Black Mirror Black abstract Sand

Black	1010333	35,-
Mirror	1008559	35,-
Black abstract	1012674	35,-
Sand	1008560	35,-

SURCHARGE FOR OptiMe X - HOT & COLD



OptiMe X prepared with an extra option for dispensing cold water.
Used in combination with base cabinet with cooling unit, article number
1005720. See page 76.

1012340 265,-

STEP 3

AND THE ADD ONS



CUP WARMER

Three stainless steel compartments.
Capacity: abt. 60 coffee cups / 144 espresso cups (stacked)
Colour side/back panel: select in configurator (see pag. 19)
Electrical connection: 220-240V / 50-60Hz / 105W
Dimensions (WxDxH): 230x420x455 mm (without cups)

Article no.	Recommended Retail Price in €
1007186	920,-

PAYMENT SYSTEMS

Connecting your vending machine to an Animo payment system.
For all possibilities, see page 78

See page 78



See page 80


In combination with 4 raised feet (40 mm), it is possible to connect your vending machine to Animo's **Optiline payment system**. For all possibilities see page 80.

**CUP POSITIONING**

Ideal for self-service
Easy assembly on tray

**STAINLESS STEEL DRIP TRAY GRID**

Suitable for OptiMe drip tray
Excl. drip tray

**LATTE MACCHIATO FEET**

Tap height: 140 mm

**RAISED FEET OptiMe 40 MM**

4 feet of 40 mm, including rubber ring. For OptiMe X and Add ons.

**HIGH FEET OptiMe 100 MM**

For easy cleaning, 100 mm

**MAGNETS OptiMe**

Magnets to connect machines with add-ons

**ENLARGEMENT SET BEAN HOPPER**

To enlarge the bean hopper with abt. 1000 gr / 133 cups

**ENLARGEMENT SET BEAN HOPPER**

Set of two rings
To enlarge the bean hoppers with abt. 2 x 400 gr / 55 cups
Suitable for OptiMe 21 and 22

**ENLARGEMENT SET XL INSTANT**

Enlargement set for enlarging capacity of instant canisters.
Only available for OptiMe 12 and OptiMe 22
Content 2x 1.5 ltr, instead 2x 1 ltr (H=36 mm)

Article no. Recommended
Retail Price in €

1008148 10,-

1010364 43,-

1007777 20,-

1012663 30,-

1008145 110,-

1008139 40,-

1010753 96,-

1010754 96,-

1008151 222,-

	Article no.	Recommended Retail Price in €
 COFFEE TAG FOR BEAN HOPPER Set of two. Easy to mount on bean hopper, writable with chalk marker. Chalk marker is included.	1010968	43,-
 ACCESSORIES FOR ACCESS TO LITTER BIN Set, containing stainless steel slide.	1012358	70,-
 DRAIN KIT OptiMe Smart connection for drip tray to drain pipe, 1.5 mtr. incl; 4 raised feet of 40 mm	1012665	50,-
 WATER PUMP STAND-ALONE (supplied without bottle) Incl. 6 m connection tube, supplied with bottle empty detection by a float switch. Electrical connection : 230V / 50-60Hz / 60W Output speed : 3.6 ltr / min Splashproof : IPX4' Water connection : 3/4"	93500	318,-
 WATER TANK STAND-ALONE Water tank suitable for water pump. Content : 18 ltr	01013	26,-
 CUP DISPENSERS Stainless steel cup dispensers for wall mounting. A perfect solution in combination with a hot beverage dispenser or water cooler. Adjustable : cups diameter 58 - 80 mm (180 - 400 ml) Capacity : abt. 100 cups Dimensions : Ø 100x615 mm / round model Adjustable : cups diameter 70 - 98 mm (350 - 940 ml) Capacity : abt. 100 cups Dimensions : Ø 112x615 mm / round model Adjustable : cups diameter 61 - 75 mm (180 - 400 ml) Capacity : abt. 100 cups Dimensions : W = 93 x D = 99 x H = 606 mm / square model	1009772 1009773 1010034	118,- 129,- 108,-

Article no. Recommended
Retail Price in €



HYGIENE KIT OPTIME X

Replacement kit for easy cleaning of a used mixer unit.
Set with 1 complete mixer cup unit and coffee splitter,
dishwasher proof.
 Using cleaning accessories will save you time, money and effort.

1012347 45,-



MAINTENANCE KIT ESPRESSO GROUP

Manometer 1.5 bar, water measuring cup 2.2 ltr and hose.

1010947 95,-



MAINTENANCE KIT X-PRESS BREWER

1011062 100,-



FIRST AID KIT OPTIME X

Professional suitcase for your service technician. Contains all recommended
spare parts needed for servicing the beverage dispensers. Also included:
technical manual, technical drawings and spare part list.

1012303 1.599,-



FILTER SYSTEMS

For a longer life cycle and less maintenance, we strongly recommend using a water filter when using an OptiMe coffee machine. See page 73.

See page 73



CLEANING PRODUCTS

For a longer life cycle, less maintenance and a better taste we strongly recommend using Animo cleaning products. See page 75.

See page 75

BASE CABINET

The clean design lines and high-quality finish of an Animo vending machine with a base cabinet, makes an eye-catching addition to any interior. See page 76.

See page 76



OptiMe on base cabinet



OptiMe on base cabinet with large top board (1005481)





reddot award 2019
winner

Perfect coffee starts with the perfect machine. But when the machine also matches your taste, that's when the magic happens. Get it all with Animo's professional coffee machine: Animo OptiMe®. A strong espresso, a delicious brew, a cappuccino made with fresh milk? OptiMe is developed to bring flavour and appearance: premium coffee specialities, in a personalised design. OptiMe. Just my type.

SALES SPECIFICATIONS

- Recommended daily output: up to 125 beverages
- Great taste and fully customisable
- Durable machine (high quality components)
- Compact 360° design
- Add-ons; fresh milk system and/or newly designed cup warmer
- Easy to swipe 7" touchscreen with intuitive user-interface
- Reversed espresso brewing system
- Ceramic grinding mechanism (Ditting®) for ultra long-life (± 150.000 cups)
- One or two bean canisters/grinders
- One or two canisters for instant ingredients
- Intelligent Energy Save Mode
- Separate Hot Water Tap
- OptiLight LED lighting (any colour, RGB)
- Screensaver to show logo, image, video or advertisement
- Different background colours in display
- Prepared for many payment systems (MDB)
- Prepared for EVA DTS/MDB/DEX-UCS
- Lockable bean canister(s)
- Strength control (also for milk and sugar)
- Double outlet for the real espresso experience
- Easy user support on screen (with animations)
- Mixer system with adjustable mixer speed (RPM)
- Energy label A+



TECHNICAL SPECIFICATIONS

- Capacity espresso brewer: 6.5 - 9.5 gr/50 - 150 ml
- Capacity XL espresso brewer: 9.5 - 13.4 gr/150 - 230 ml
- Capacity bean hopper: 1x 1.200 gr (160 cups) | 2x 600 gr (2x 80 cups)
- Capacity boiler: 0.5 ltr, 1800W
- Brewing time, cup (120 ml): 25 - 30 sec
- Adjustable cup tray: 50 - 105 mm
- Max. tap height: 165 mm
- Electrical connection: 220-240V/50-60Hz/2200W
- Rotary pump: 10 bar
- Fixed water connection: 3/4"
- Large waste compartment: 3 ltr (abt. 70 cups)
- Drip tray: 1,25 ltr with easy connection to drainage

FRESH MILK SYSTEM

- Perfect barista milk foam
- Fresh milk pump; silent in use. Constant quality.
- Combined usage possible for fresh milk and topping
- Quick and easy cleaning
- Hygiene in accordance with HACCP standards


DRINK SELECTIONS The drink selections depend on the ingredients that you select for each canister.

	11	12	21	22
Coffee (jugs)	✓	✓	✓	✓
2x Coffee	✓	✓	✓	✓
Coffee with milk /Café Latte*	✓	✓	✓	✓
Espresso	✓	✓	✓	✓
2x Espresso	✓	✓	✓	✓
Cappuccino*	✓	✓	✓	✓
Latte Macchiato*	✓	✓	✓	✓
Coffee chocolate	⊙	✓	⊙	✓
Chocolate	⊙	✓	⊙	✓
Wiener Melange*	⊙	✓	⊙	✓
Hot water	✓	✓	✓	✓
Espresso chocolate	⊙	✓	⊙	✓
Decaf	⊙	⊙	⊙	⊙
Tea	⊙	⊙	⊙	⊙
Coffee with sugar	⊙	⊙	⊙	⊙
Hot milk*	✓	✓	✓	✓
Chocolate with milk*		✓		✓
Double espresso	✓	✓	✓	✓
Espresso Macchiato*		✓		✓
Ristretto	○	✓	○	✓
Café Cortado*	○	○	○	○
Americano	□	□	□	□
Long black	□	□	□	□

- ✓ Standard configuration from factory
- ⊙ Adjustable selections (depending on the chosen ingredients)
- Optional software required
- Bypass required
- * For drink selections with Fresh Milk, the Milk Cooler is required


STEP 1

FIRST THE MACHINE




OptiMe 11 FM

Capacity espresso brewer:	6.5 - 9.5 gr
Number of bean canisters/grinders:	1
Number of instant canisters/mixers:	1 (2.3 ltr) / 1
Fresh milk module (1007181):	1
Dimensions WxDxH:	380x515x600 mm
Coffee beans:	abt. 1200 gr / 160 cups
2.3 ltr Topping:	abt. 1400 gr / 200 cups
2.3 ltr Chocolate:	abt. 1950 gr / 120 cups




OptiMe 12 FM

Capacity espresso brewer:	6.5 - 9.5 gr
Number of bean canisters/grinders:	1
Number of instant canisters/mixers:	2 (1.6 ltr) / 1
Fresh milk module (1007181):	1
Dimensions WxDxH:	380x515x600 mm
Coffee beans:	abt. 1200 gr / 160 cups
1 ltr Topping:	abt. 600 gr / 85 cups
1 ltr Chocolate:	abt. 800 gr / 50 cups



OptiMe 21 FM

Capacity espresso brewer:	6.5 - 9.5 gr
Number of bean canisters/grinders:	2
Number of instant canisters/mixers:	1 (2.3 ltr) / 1
Fresh milk module (1007181):	1
Dimensions WxDxH:	380x515x600 mm
Coffee beans:	abt. 2x 600 gr / 160 cups
2.3 ltr Topping:	abt. 1400 gr / 200 cups
2.3 ltr Chocolate:	abt. 1950 gr / 120 cups



OptiMe 22 FM

Capacity espresso brewer:	6.5 - 9.5 gr
Number of bean canisters/grinders:	2
Number of instant canisters/mixers:	2 (1 ltr) / 1
Fresh milk module (1007181):	1
Dimensions WxDxH:	380x515x600 mm
Coffee beans:	abt. 2x 600 gr / 160 cups
1 ltr Topping:	abt. 600 gr / 85 cups
1 ltr Chocolate:	abt. 800 gr / 50 cups

Article no. Recommended
Retail Price in €

1007041 5.595,-

Net unit price in €, based on order quantity	
1 unit	3.406,00
2 - 4 units	3.348,00
5 - 8 units	3.290,00
9 - 12 units	3.232,00

1007042 5.740,-

Net unit price in €, based on order quantity	
1 unit	3.496,00
2 - 4 units	3.436,20
5 - 8 units	3.376,40
9 - 12 units	3.316,60

1007044 6.260,-

Net unit price in €, based on order quantity	
1 unit	3.821,00
2 - 4 units	3.754,70
5 - 8 units	3.688,40
9 - 12 units	3.622,10

1007045 6.525,-

Net unit price in €, based on order quantity	
1 unit	3.986,00
2 - 4 units	3.916,40
5 - 8 units	3.846,80
9 - 12 units	3.777,20

STEP 2

SELECT THE LOOK

- A FRONT COLOUR**
We offer two options. Both in high gloss.

**Black RAL 9017****White RAL 9001**

- B PANELS SIDE AND BACK**
The side panels are matt.

STANDARD**Black RAL 9017****White RAL 9001****SPECIAL****Red RAL 3003**
Textured, + € 355,-**Brown RAL 8014**
Textured, + € 355,-**DESIGN****Pine (BZ912)**
+ € 395,-**Wash Oak (PZ904)**
+ € 395,-**Dark Oak (PZ912)**
+ € 395,-**Leather (ARZ06)**
+ € 430,-

- C DECO PANEL**

**Mirror****Black****Abstract**
+ € 35,-**Sand**
+ € 35,-

STEP 3

THE MACHINE OPTIONS

	Article no.	Recommended Retail Price in €
 AMERICANO BYPASS OptiMe prepared for dispensing Americano and Long black.	1007192	85,-
 XL BREWER SET Capacity espresso brewer: 9.5 - 13.4 gr For cups 150 - 230 ml	1004798	100,-

STEP 4

AND THE ADD ONS

	Article no.	Recommended Retail Price in €
 MILK COOLER Lockable milk cooler with milk connection on the left side. Milk tank of 4 ltr. Option; ingredient box (1007229) on top. Colour front door: high gloss black Colour side/back panel: select in configurator (see pag. 19) Electrical connection: 220-240V / 50-60Hz / 43W Dimensions WxDxH: 230x420x455 mm	1007180	1.180,-
 SURCHARGE: COOL & WARM Cup warmer shelf on top of the milk cooler. Separate on-off switch. Excluding ingredient box (1007229). Capacity: abt. 10 coffee cups /24 espresso cups. Colour front door: high gloss black Colour side/back panel: select in configurator (see pag. 19) Electrical connection: 220-240V / 50-60Hz / 78W Dimensions WxDxH: 230x420x455 mm	1007980	115,-

Article no. Recommended
Retail Price in €



MILK COOLER 4.5L T

Lockable milk cooler with milk connection on the left side.
Milk tank of 4.5 ltr. Temperature adjustable.
Colour housing: black
Electrical connection: 220-240V / 50-60Hz / 115W
Dimensions WxDxH: 220x450x480 mm

1011104 495,-



CUP WARMER

Three stainless steel compartments.
Capacity: abt. 60 coffee cups /144 espresso cups (stacked)
Colour side/back panel: select in configurator (see pag. 19)
Electrical connection: 220-240V/ 50-60Hz /105W
Dimensions (WxDxH): 230x420x455 mm (without cups)

1007186 920,-



WATER RESERVOIR

Lockable water reservoir with integrated water filter system.
Removable reservoir including one Brita Maxtra+ filter
Capacity: 8.2 ltr (5.2 ltr filtered water)
Colour front door: black
Colour side/back panel: select in configurator (see Price list pag. 19, STEP 2B)
Dimensions WxDxH: 230x420x455 mm
For filter systems see page 73.

1008149 765,-

PAYMENT SYSTEMS

Connecting your vending machine to an Animo payment system.
For all possibilities, see page 78

See page 78



See page 80

In combination with 4 raised feet (40 mm), it is possible to connect your vending machine to Animo's **Optiline payment system**. For all possibilities see page 80.

**INGREDIENT BOX ON TOP OF MILK COOLER**

4 compartments for ingredients

**CUP POSITIONING**

Ideal for self-service

Easy assembly on tray

**STAINLESS STEEL DRIP TRAY GRID**

Suitable for OptiMe drip tray

Excl. drip tray

**LATTE MACCHIATO FEET**

Tap height: 140 mm

**HIGH FEET OptiMe MACHINE**

For easy cleaning, 100 mm

Including layer for drip tray

Not in combination with Access to litter bin (1007547)

**HIGH FEET OptiMe ADD ONS**

For easy cleaning, 100 mm

**MAGNETS OptiMe**

Magnets to connect machines with add-ons

**ENLARGEMENT SET BEAN HOPPER**

To enlarge the bean hopper with abt. 1000 gr / 133 cups

**ENLARGEMENT SET BEAN HOPPER**

Set of two rings

To enlarge the bean hoppers with abt. 2 x 400 gr / 55 cups

Suitable for OptiMe 21 and 22

Article no.

Recommended
Retail Price in €

1007229

20,-

1008148

10,-

1010364

43,-

1007777

20,-

1008144

135,-

1008145

110,-

1008139

40,-

1010753

96,-

1010754

96,-



ENLARGEMENT SET XL INSTANT

Enlargement set for enlarging capacity of instant canisters.

Only available for OptiMe 12 and OptiMe 22

Content 2x 1.5 ltr, instead 2x 1 ltr (H=36 mm)



ACCESSORIES FOR ACCESS TO LITTER BIN

Set, containing stainless steel slide.



DRAIN KIT OptiMe

With Smart connection for drip tray to drain pipe, 1.5 mtr



WATER PUMP STAND-ALONE (supplied without bottle)

Incl. 6 m connection tube, supplied with bottle empty

detection by a float switch.

Electrical connection : 230V / 50-60Hz / 60W

Output speed : 3.6 ltr / min

Splashproof : IPX4'

Water connection : 3/4"



WATER TANK STAND-ALONE

Water tank suitable for water pump.

Content : 18 ltr



CUP DISPENSERS

Stainless steel cup dispensers for wall mounting. A perfect solution in combination with a hot beverage dispenser or water cooler.

Adjustable : **cups diameter 58 - 80 mm** (180 - 400 ml)

Capacity : abt. 100 cups

Dimensions : Ø 100x615 mm / round model

Adjustable : **cups diameter 70 - 98 mm** (350 - 940 ml)

Capacity : abt. 100 cups

Dimensions : Ø 112x615 mm / round model

Adjustable : **cups diameter 61 - 75 mm** (180 - 400 ml)

Capacity : abt. 100 cups

Dimensions : W = 93 x D = 99 x H = 606 mm / square model

Article no.

Recommended
Retail Price in €

1008151

222,-

1007547

70,-

1010082

70,-

93500

318,-

01013

26,-

1009772


118,-

1009773

129,-

1010034

108,-

	Article no.	Recommended Retail Price in €
 HYGIENE KIT OptiMe Replacement kit for easy cleaning of a used mixer unit. Set with 1 complete mixer cup unit and coffee splitter, dishwasher proof. Using cleaning accessories will save you time, money and effort.	1008125	45,-
 HYGIENE KIT FOR FRESH MILK MODULE OptiMe Replacement set for monthly cleaning of the Fresh Milk system. Using cleaning accessories will save you time, money and effort.	1008124	70,-
 MAINTENANCE KIT FOR FRESH MILK MODULE OptiMe Service set for after 10.000 cups or once a year. Using cleaning accessories will save you time, money and effort.	1008123	105,-
 MAINTENANCE KIT ESPRESSO GROUP (37 mm) Replace after 25.000 cups.	1004917	90,-
 MAINTENANCE KIT ESPRESSO GROUP XL (44 mm) Replace after 25.000 cups.	1004918	100,-
 MAINTENANCE KIT ESPRESSO GROUP Manometer 1.5 bar, water measuring cup 2.2 ltr and hose.	1010947	95,-
 FIRST AID KIT Professional suitcase for your service technician. Contains all recommended spare parts needed for servicing the beverage dispensers. Also included: technical manual, technical drawings and spare part list. FIRST AID KIT - OPTIME VIBRATION FIRST AID KIT - OPTIME VIBRATION - XL FIRST AID KIT - OPTIME VIBRATION - FM FIRST AID KIT - OPTIME VIBRATION - FM - XL FIRST AID KIT - OPTIME ROTATION FIRST AID KIT - OPTIME ROTATION - XL FIRST AID KIT - OPTIME ROTATION - FM FIRST AID KIT - OPTIME ROTATION - FM - XL	1010165 1010166 1008146 1008183 1010913 1010914 1010911 1010912	1.570,- 1.570,- 1.760,- 1.760,- 1.730,- 1.730,- 1.920,- 1.920,-



FILTER SYSTEMS

For a longer life cycle and less maintenance, we strongly recommend using a water filter when using an OptiMe coffee machine. See page 73.



CLEANING PRODUCTS

For a longer life cycle, less maintenance and a better taste we strongly recommend using Animo cleaning products. See page 75.

BASE CABINET

The clean design lines and high-quality finish of an Animo vending machine with a base cabinet, makes an eye-catching addition to any interior. See page 76.

See page 73

See page 75

See page 76



OptiMe on base cabinet with large top board (1005481)



Taste

PRECISION IN




OPTIBEAN X in your location:

Curious how OptiBean will look in your location? Scan the QR code and use the AR feature for a virtual image.



X-press BREWER

- Capacity espresso brewer: 6 - 20 gr / 25 – 350 ml
- Variable tamping pressure (7 levels)
- Swiss made
- Double cup in one cycle
- Easy to clean
- TWO in ONE; espresso and fresh brew coffee



Curious how the X-press brewer works? Scan the QR code.



ANIMO

A strong espresso, the perfect cappuccino, a delicious lungo – whatever you prefer to drink; true flavour is in the smallest details. Only when the conditions are exactly right, you'll get the coffee that really suits you. That's exactly what we offer with the latest edition in our award winning OptiBean series. Its core has been completely redesigned to bring you precision in taste. Cup, after cup, after cup.

SALES SPECIFICATIONS

- Recommended daily output: up to 250 beverages
- Durable machine (high quality components)
- Swiss made X-press brewer: 6 - 20 gr/25 – 350 ml
- Standard by-pass
- Easy to swipe 7" touch screen with intuitive user-interface
- Ceramic grinding mechanism (Ditting®) for ultra long-life (± 150.000 cups)
- 1 - 3 instant canisters
- Intelligent Energy Save Mode
- Separate hot water tap
- OptiLight LED lighting (any colour, RGB)
- Screen saver to show logo, image, video
- Different background colours in display
- Prepared for many payment systems (MDB)
- Prepared for EVA DTS/MDB/DEX-UCS
- Lockable bean canister(s)
- Strength control (also for milk and sugar)
- Double outlet for the real espresso experience
- Easy user support on screen (with animations)
- Mixer system with adjustable mixer speed (RPM)
- Coloured front in black and white
- Side panels come in black or wood
- Energy label A+

TECHNICAL SPECIFICATIONS


- X-press brewer capacity 6 - 20 gr/25 - 350 ml
- Capacity bean hopper: 2.200 gr/295 cups | 2x 1.000 gr / 270 cups
- Hourly capacity: 120 coffee: 80 cups (single brew), 160 cups (double brew)
- Capacity boiler: 1.1 ltr, 1.800W
- Brewing time (120 ml): 25 – 30 sec
- Adjustable cup tray: 60 - 115 mm
- Max. tap height: 170 mm/OB X TS - 260 mm
- Electrical connection: 220-240V/50-60Hz /1950W
- Rotary pump: 10 bar
- Fixed water connection: 3/4"
- Waste compartment: 1 kg (140 pucks), TS 2.7 kg (385 pucks)

DRINK SELECTIONS

The drink selections depend on the ingredients that you select for each canister. The adjustable controls make it easy to change the options.

	X 10/20	X 11/21	X 12/22	X 13/23
Coffee (jugs) ☕	✓	✓	✓	✓
Coffee with milk		✓	✓	✓
Coffee with sugar		⊙	⊙	✓
Coffee with milk & sugar				✓
Espresso ☕	✓	✓	✓	✓
Cappuccino ☕		✓	✓	✓
Latte Macchiato		✓	✓	✓
Coffee chocolate		⊙	✓	✓
Chocolate ☕		⊙	✓	✓
Wiener Melange			✓	✓
Hot water	✓	✓	✓	✓
Espresso chocolate		⊙	✓	✓
Decaf		⊙	⊙	⊙
Tea		⊙	⊙	⊙
Hot milk		⊙	⊙	⊙
Chocolate with milk ☕		⊙	⊙	✓
Double espresso	⊙	⊙	⊙	⊙
Cold water	💧	💧	💧	💧


- ✓ Standard configuration from factory
- ⊙ Adjustable selections (depending on the chosen ingredients)
- 💧 Possible with cooling unit in base cabinet
- ☕ Possibility of two cups at once



STEP 1

FIRST THE MACHINE


Article no. Recommended
Retail Price in €



OptiBean X 10

Capacity espresso brewer: 6 - 20 gr
Number of bean hoppers/grinders (2.2 kg): 1
Number of instant canisters: 0
Number of mixers: 0
Dimensions WxDxH: 409x567x780 mm

Coffee beans: abt. 2200 gr / 295 cups




OptiBean X 11

Capacity espresso brewer: 6 - 20 gr
Number of bean hoppers/grinders (2.2 kg): 1
Number of instant canisters: 1 (3.8 ltr)
Number of mixers: 1
Dimensions WxDxH: 409x567x780 mm

Coffee beans: abt. 2200 gr / 295 cups

3.8 ltr Topping: abt. 2300 gr / 150 cups




OptiBean X 12

Capacity espresso brewer: 6 - 20 gr
Number of bean hoppers/grinders (2.2 kg): 1
Number of instant canisters: 2 (1.6 ltr)
Number of mixers: 1*
Dimensions WxDxH: 409x567x780 mm

Coffee beans: abt. 2200 gr / 295 cups

1.6 ltr Topping: abt. 970 gr / 138 cups

1.6 ltr Chocolate: abt. 1000 gr / 60 cups



OptiBean X 13

Capacity espresso brewer: 6 - 20 gr
Number of bean hoppers/grinders (2.2 kg): 1
Number of instant canisters: 2 (0.9 ltr)
1 (1.4 ltr)
Number of mixers: 2
Dimensions WxDxH: 409x567x780 mm

Coffee beans: abt. 2200 gr / 295 cups

0.9 ltr Chocolate: abt. 600 gr / 38 cups

1.4 ltr Topping: abt. 650 gr / 93 cups

0.9 ltr Sugar: abt. 700 gr / 235 cups

* 2 mixers on request

1010700 5.425,-

Net unit price in €,
based on order quantity

1 unit 3.380,00

2 - 4 units 3.312,40

5 - 8 units 3.244,80

9 - 12 units 3.177,20

1010701 5.655,-

Net unit price in €,
based on order quantity

1 unit 3.525,00

2 - 4 units 3.454,50

5 - 8 units 3.384,00

9 - 12 units 3.313,50

1010702 5.845,-

Net unit price in €,
based on order quantity

1 unit 3.645,00

2 - 4 units 3.572,10

5 - 8 units 3.499,20

9 - 12 units 3.426,30

1010704 6.285,-


Net unit price in €,
based on order quantity

1 unit 3.905,00

2 - 4 units 3.826,90

5 - 8 units 3.748,80

9 - 12 units 3.670,70

**OptiBean X 20**


Capacity espresso brewer:	6 - 20 gr
Number of bean hoppers/grinders (1 kg):	2
Number of instant canisters:	0
Number of mixers:	0
Dimensions WxDxH:	409x567x780 mm

Coffee beans: abt. 2x 1000 gr / 270 cups

Recommended
Article no. Retail Price in €

1010705 6.090,-

Net unit price in €, based on order quantity	
1 unit	3.795,00
2 - 4 units	3.719,10
5 - 8 units	3.643,20
9 - 12 units	3.567,30

**OptiBean X 21**


Capacity espresso brewer:	6 - 20 gr
Number of bean hoppers/grinders (1 kg):	2
Number of instant canisters:	1 (3.8 ltr)
Number of mixers:	1
Dimensions WxDxH:	409x567x780 mm

Coffee beans: abt. 2x 1000 gr / 270 cups

3.8 ltr Topping: abt. 2300 gr / 150 cups

1010706 6.320,-

Net unit price in €, based on order quantity	
1 unit	3.935,00
2 - 4 units	3.856,30
5 - 8 units	3.777,60
9 - 12 units	3.698,90

**OptiBean X 22**

Capacity espresso brewer:	6 - 20 gr
Number of bean hoppers/grinders (1 kg):	2
Number of instant canisters:	2 (1.6 ltr)
Number of mixers:	1 *
Dimensions WxDxH:	409x567x780 mm


Coffee beans: abt. 2x 1000 gr / 270 cups

1.6 ltr Topping: abt. 970 gr / 138 cups

1.6 ltr Chocolate: abt. 1000 gr / 60 cups

1010707 6.630,-

Net unit price in €, based on order quantity	
1 unit	4.130,00
2 - 4 units	4.047,40
5 - 8 units	3.964,80
9 - 12 units	3.882,20

**OptiBean X 23**

Capacity espresso brewer:	6 - 20 gr
Number of bean hoppers/grinders (1 kg):	2
Number of instant canisters:	2 (0.9 ltr)
	1 (1.4 ltr)
Number of mixers:	2
Dimensions WxDxH:	409x567x780 mm

Coffee beans: abt. 2x 1000 gr / 270 cups

0.9 ltr Chocolate: abt. 600 gr / 38 cups

1.4 ltr Topping: abt. 650 gr / 93 cups


0.9 ltr Sugar: abt. 700 gr / 235 cups

* 2 mixers on request

1010709 7.060,-

Net unit price in €, based on order quantity	
1 unit	4.395,00
2 - 4 units	4.307,10
5 - 8 units	4.219,20
9 - 12 units	4.131,30


Recommended
Article no. Retail Price in €



OptiBean X 12 TS

Capacity espresso brewer: 6 - 20 gr
Number of bean hoppers/grinders (2.2 kg): 1
Number of instant canisters: 2 (1.6 ltr)
Number of mixers: 1 *
Dimensions WxDxH: 409x567x870 mm

Coffee beans:	abt. 2200 gr / 295 cups
1.6 ltr Topping:	abt. 970 gr / 138 cups
1.6 ltr Chocolate:	abt. 1000 gr / 60 cups



OptiBean X 22 TS

Capacity espresso brewer: 6 - 20 gr
Number of bean hoppers/grinders (1 kg): 2
Number of instant canisters: 2 (1.6 ltr)
Number of mixers: 1 *
Dimensions WxDxH: 409x567x870 mm

Coffee beans:	abt. 2x 1000 gr / 270 cups
1.6 ltr Topping:	abt. 970 gr / 138 cups
1.6 ltr Chocolate:	abt. 1000 gr / 60 cups

1011092 6.080,-

Net unit price in €,
based on order quantity

1 unit	3.785,00
2 - 4 units	3.709,30
5 - 8 units	3.633,60
9 - 12 units	3.557,90

1011097 6.865,-

Net unit price in €,
based on order quantity

1 unit	4.270,00
2 - 4 units	4.184,60
5 - 8 units	4.099,20
9 - 12 units	4.013,80

* 2 mixers on request

STEP 2 SELECT THE LOOK

A FRONT, TOP & BACK COLOUR

We offer two options; black or white



Black RAL 9005



White RAL 9003

B PANELS SIDE

We offer two options; mat black or wood



Black RAL 9005



Wood Textured, + € 150,-

STEP 3

THE MACHINE OPTIONS

		Article no.	Recommended Retail Price in €
 CONNECTION PLUG STANDARD	EU-European power plug and outlet		
	CH-Swiss power plug and outlet	1010402	
	UK-English power plug and outlet	1010403	
	DK-Danish power plug and outlet	1010404	
 SURCHARGE FOR OptiBean X - HOT & COLD	OptiBean X prepared with an extra option for dispensing cold water. Used in combination with base cabinet with cooling unit, article number 1005720. See page 76.	1004121	265,-
 CUP DETECTION	Detect the presence of cups, glasses or thermos jugs below the coffee outlet and the hot water outlet.	1003385	122,-

STEP 4

AND THE ADD ONS



CUP DISPENSER

Tabletop cup dispensing cabinet with 3 cup dispensers. Easy to adjust for cup size Ø60 - 90 mm Equipped with automatic cup press mechanism and removable ingredient box on top.

Capacity: abt. 3 x 50 cups (30 cm)
Colour: black
Dimensions (WxDxH): 140x375x570 mm



COFFEE CUP HEATER KKW_n, WITH SIDE PANELS IN BLACK

The cup heater is made of CrNi 18/9 stainless steel and consists of two compartments which can be used separately.

Electrical connection : 1N~230V/140W/50-60Hz
Dimensions (WxDxH) : 300x430x585 mm (without cups)

COFFEE CUP HEATER KKW_n, STAINLESS STEEL

PAYMENT SYSTEMS

Connecting your vending machine to an Animo payment system.
For all possibilities, see page 80



Article no. Recommended
Retail Price in €

1010386 808,-

1003334 ■ 762,-

70037 ■ 762,-

See page 80



ENLARGEMENT SET BEAN HOPPER

To enlarge the bean hopper with abt. 1000 gr / 133 cups

ENLARGEMENT SET BEAN HOPPER

Set of two rings. To enlarge the bean hoppers with abt. 2 x 400 gr / 55 cups

Article no. Recommended
Retail Price in €

1010753 96,-

1010754 96,-



ENLARGEMENT SET XL INSTANT

Enlargement set for enlarging capacity of instant canisters.

OptiBean X 11 + 21: Content 1x 7.5 ltr, instead 1x 3.8 ltr (H=147)

OptiBean X 12 + 22: Content 2x 3.4 ltr, instead 2x 1.6 ltr (H=147)

OptiBean X 13 + 23: Content 1x 3.2 ltr, instead 1x 1.4 ltr (H=147)

2x 1.8 ltr instead 2x 0.9 ltr

1011133 250,-

1011134 250,-

1011135 250,-



DRIP TRAY WITH WOODEN DECO EDGE

Drip tray with wooden deco edge.

1010852 96,-



COFFEE TAG FOR BEAN HOPPER

Set of two. Easy to mount on bean hopper, writable with chalk marker.

Chalk marker is included.

1010968 43,-

CUP DISPENSERS

Stainless steel cup dispensers for wall mounting. A perfect solution in combination with a hot beverage dispenser or water cooler.

Adjustable : **cups diameter 58 - 80 mm** (180 - 400 ml)

Capacity : abt. 100 cups

Dimensions : Ø 100x615 mm / round model

Adjustable : **cups diameter 70 - 98 mm** (350 - 940 ml)

Capacity : abt. 100 cups

Dimensions : Ø 112x615 mm / round model

Adjustable : **cups diameter 61 - 75 mm** (180 - 400 ml)

Capacity : abt. 100 cups

Dimensions : W = 93 x D = 99 x H = 606 mm / square model

1009772 118,-

1009773 129,-

1010034 108,-

		Article no.	Recommended Retail Price in €
	THERMOS JUG 1.0 LTR Stainless steel inner lining. Dimensions (ØxH) : 142x165 mm (without lid)	08436	38,-
	COVER DRIP TRAY Stainless steel cover to protect drip tray.	1006317	28,-
	WATER PUMP STAND-ALONE (supplied without bottle) Incl. 6 m connection tube, supplied with bottle empty detection by a float switch. Electrical connection : 230V / 50-60Hz / 60W Output speed : 3.6 ltr / min Splashproof : IPX4 Water connection : 3/4"	93500	318,-
	WATER TANK STAND-ALONE Water tank suitable for water pump. Content : 18 ltr	01013	26,-
	MAINTENANCE KIT ESPRESSO GROUP Manometer 1.5 bar, water measuring cup 2.2 ltr and hose.	1010947	95,-
	DRAIN KIT OPTIBEAN X For connecting drip tray to drain pipe.	1011061	46,-
	MAINTENANCE KIT X-PRESS BREWER	1011062	100,-

		Article no.	Recommended Retail Price in €
	HYGIENE KIT OPTIBEAN X (1 mixer) Exchange kit for easy cleaning of a used mixer unit. Set with 1 complete mixer cup unit and coffee splitter, dishwasher proof.	1011059	53,-
	HYGIENE KIT OPTIBEAN X (2 mixers) Exchange kit for easy cleaning of a used mixer unit. Set with 2 complete mixer cup units and coffee splitter, dishwasher proof.  Using cleaning accessories will save you time, money and effort.	1011060	58,-
	ACCESSORIES FOR ACCESS TO LITTER BIN OPTIBEAN X (TS) Set, containing stainless steel slide and drain kit.	1011063	129,-
	FIRST AID KIT OPTIBEAN X Professional suitcase for your service technician. Contains all recommended spare parts needed for servicing the beverage dispensers. Also included: technical manual, technical drawings and spare part list.	1011064	1.569,-
	FILTER SYSTEMS For a longer life cycle and less maintenance, we strongly recommend using a water filter with your OptiBean coffee machine. See page 73.	See page 73	
	CLEANING PRODUCTS For a longer life cycle, less maintenance and a better taste we strongly recommend using Animo cleaning products. See page 75.	See page 75	
	BASE CABINET the clean design lines and high-quality finish of an Animo vending machine with a base cabinet, makes an eye-catching addition to any interior. See page 76.	See page 76	
	 OptiBean on base cabinet and OptiBean on base cabinet with large top board (1005481)		



GERMAN
DESIGN
AWARD
SPECIAL
2019



A machine with taste. Distinctive design, reliable technology. For the best coffee you could wish to serve. Every cup is freshly made and topped with a delicious crema. The basis for many kinds of coffee specialities. The OptiBean is very simple to use and easy to maintain.

SALES SPECIFICATIONS

- Recommended daily output: up to 250 beverages
- Intuitive touchscreen interface or key panel
- Reversed espresso brewing system
- Grinder with ceramic burrs (Ditting®, 150.000 cups)
- Suitable for cups and thermos jugs
- Double outlet for the real espresso experience
- Separate coffee and hot water outlet
- OptiLight LED lighting (any colour, RGB)
- Adjustable coffee strength (also for milk and sugar)
- STOP button
- Intelligent Energy Save Mode
- Cleaning program (access on control panel)
- Usage counter
- Rotary Vane Pump (Procon) 10 bar
- Insulated stainless steel boiler with dry boil protection
- Adjustable water temperature control
- Stainless steel housing
- Adjustable rpm of mixer motor
- Adjustable feet (4X)
- Prepared for telemetry (EVA DTS/MDB/DEX-UCS)
- Prepared for various payment systems (MDB/G13)
- Energy label A+

TECHNICAL SPECIFICATIONS


- Capacity espresso brewer: 6.5 - 9.5 gr/50 - 150 ml
- Capacity XL espresso brewer: 9.5 - 13.4 gr/150 - 230 ml
- Capacity bean hopper: 1.500 gr/200 cups
- Capacity boiler: 1.1 ltr, 1800W
- Brewing time, cup (120 ml): 25 - 30 sec
- Adjustable cup tray: 60 - 115 mm
- Max. tap height: 167 mm
- Electrical connection: 220-240V/50-60Hz/2275W
- Fixed water connection: 3/4"
- Large waste compartment: 7 ltr (abt. 130 cups)

DRINK SELECTIONS


The drink selections depend on the ingredients that you select for each canister. The adjustable controls make it easy to change the options.

	2 (XL)	3 (XL)
Coffee (jugs)	✓	✓
Coffee with milk	✓	✓
Coffee with sugar	⊙	⊙
Coffee with milk & sugar		
Espresso	✓	✓
Cappuccino	✓	✓
Latte Macchiato	✓	✓
Coffee chocolate	⊙	✓
Chocolate	⊙	✓
Wiener Melange		✓
Hot water	✓	✓
Espresso chocolate	⊙	✓
Decaf	⊙	⊙
Tea	⊙	⊙
Hot milk	⊙	⊙
Chocolate with milk	⊙	⊙
Double espresso	⊙	⊙
Cold water	⊙	⊙

- ✓ Standard configuration from factory
- ⊙ Adjustable selections (depending on the chosen ingredients)




BEANS (ESPRESSO)



OptiBean 2 Touch

Capacity espresso brewer: 6.5 - 9.5 gr
 Number of instant canisters: 1 (3.8 ltr)
 Number of mixers: 1
 Dimensions WxDxH: 409x565x792 mm


Coffee beans: abt. 1500 gr / 200 cups
 3.8 ltr Topping: abt. 2300 gr / 150 cups



OptiBean 2 XL Touch

Capacity espresso brewer: 9.5 - 13.4 gr
 Number of instant canisters: 1 (3.8 ltr)
 Number of mixers: 1
 Dimensions WxDxH: 409x565x792 mm


Coffee beans: abt. 1500 gr / 200 cups
 3.8 ltr Topping: abt. 2300 gr / 150 cups



OptiBean 3 Touch

Capacity espresso brewer: 6.5 - 9.5 gr
 Number of instant canisters: 2 (1.6 ltr)
 Number of mixers: 1
 Dimensions WxDxH: 409x565x792 mm

Coffee beans: abt. 1500 gr / 200 cups
 1.6 ltr Topping: abt. 970 gr / 138 cups
 1.6 ltr Chocolate: abt. 1000 gr / 60 cups



OptiBean 3 XL Touch

Capacity espresso brewer: 9.5 - 13.4 gr
 Number of instant canisters: 2 (1.6 ltr)
 Number of mixers: 1
 Dimensions WxDxH: 409x565x792 mm

Coffee beans: abt. 1500 gr / 200 cups
 1.6 ltr Topping: abt. 970 gr / 138 cups
 1.6 ltr Chocolate: abt. 1000 gr / 60 cups

OptiBean Touch

Recommended
 Article no. Retail Price in €

1004904 ■ 5.295,-

Net unit price in €,
 based on order quantity

1 unit 3.285,00
 2 - 4 units 3.219,30
 5 - 8 units 3.153,60
 9 - 12 units 3.087,90

1004905 ■ 5.395,-

Net unit price in €,
 based on order quantity

1 unit 3.350,00
 2 - 4 units 3.283,00
 5 - 8 units 3.216,00
 9 - 12 units 3.149,00

1004906 ■ 5.485,-

Net unit price in €,
 based on order quantity

1 unit 3.415,00
 2 - 4 units 3.346,70
 5 - 8 units 3.278,40
 9 - 12 units 3.210,10

1004907 ■ 5.585,-

Net unit price in €,
 based on order quantity

1 unit 3.480,00
 2 - 4 units 3.410,40
 5 - 8 units 3.340,80
 9 - 12 units 3.271,20

PAYMENT SYSTEMS

Connecting your vending machine to an Animo payment system.

For all possibilities, see page 80



See page 80

Article no. Recommended
Retail Price in €



SURCHARGE FOR OptiBean Touch - HOT & COLD

OptiBean Touch prepared with an extra option for dispensing cold water. Used in combination with base cabinet with cooling unit, article number 1005720. See page 76.

1004121 265,-



CUP DETECTION

Detect the presence of cups, glasses or thermos jugs below the coffee outlet and the hot water outlet. "We recommend using non-transparent cups/mugs, best results are obtained with lighter colors (matte black is not recommended)"

1003385 122,-



ENLARGEMENT SET BEAN HOPPER

To enlarge the bean hopper with abt. 700 gr / 95 cups.
Maximum of 2 sets per machine.

1003997 96,-



ENLARGEMENT SET XL INSTANT

Enlargement set for enlarging capacity of instant canisters.

OptiBean (Touch) 2:

Option A: Content 1x 5.1 ltr instead 1x 3.8 ltr (H=235)

Option B: Content 1x 7.5 ltr instead 1x 3,8 ltr (H=325)

Option C: Content 1x 9.1 ltr instead 1x 3,8 ltr (H=390)

OptiBean (Touch) 3:

Option A: Content 2x 2.3 ltr instead 2x 1.6 ltr (H=235)

Option B: Content 2x 3.4 ltr instead 2x 1.6 ltr (H=325)

Option C: Content 2x 4.2 ltr instead 2x 1.6 ltr (H=390)

1003081 250,-

Recommended

Article no. Retail Price in €



COFFEE CUP HEATER KKWh

The cup heater is made of CrNi 18/9 stainless steel and consists of two compartments which can be used separately.

Electrical connection : 1N~230V/140W/50-60Hz

Dimensions (WxDxH) : 300x430x585 mm (without cups)

COFFEE CUP HEATER KKWh, WITH SIDE PANELS IN BLACK

70037 762,-

1003334 762,-



CUP DISPENSERS

Stainless steel cup dispensers for wall mounting. A perfect solution in combination with a hot beverage dispenser or water cooler.

Adjustable : **cups diameter 58 - 80 mm** (180 - 400 ml)

Capacity : abt. 100 cups

Dimensions : Ø 100x615 mm / round model

Adjustable : **cups diameter 70 - 98 mm** (350 - 940 ml)

Capacity : abt. 100 cups

Dimensions : Ø 112x615 mm / round model

Adjustable : **cups diameter 61 - 75 mm** (180 - 400 ml)

Capacity : abt. 100 cups

Dimensions : W = 93 x D = 99 x H = 606 mm / square model

1009772 118,-

1009773 129,-

1010034 108,-



THERMOS JUG 1.0 LTR

Stainless steel inner lining.

Dimensions (ØxH) : 142x165 mm (without lid)

08436 38,-



COVER DRIP TRAY

Stainless steel cover to protect drip tray.

1006317 28,-



WATER PUMP STAND-ALONE (supplied without bottle)

Incl. 6 m connection tube, supplied with bottle empty detection by a float switch.

Electrical connection : 230V / 50-60Hz / 60W

Output speed : 3.6 ltr / min

Splashproof : IPX4

Water connection : 3/4"

93500 318,-

		Article no.	Recommended Retail Price in €
	WATER TANK STAND-ALONE Water tank suitable for water pump. Content : 18 ltr	01013	26,-
	MAINTENANCE KIT ESPRESSO GROUP Manometer 1.5 bar, water measuring cup 2.2 ltr and hose.	1010947	95,-
	DRAIN KIT OptiBean NG / TOUCH For connecting drip tray to drain pipe.	1004945	44,-
	MAINTENANCE KIT ESPRESSO GROUP (37 mm) OptiBean NG / TOUCH Exchange after 25.000 cups.	1004917	90,-
	Maintenance kit Espresso group (44 mm) OptiBean XL NG / TOUCH Exchange after 25.000 cups.	1004918	100,-
	HYGIENE KIT OptiBean NG / TOUCH Exchange kit for easy cleaning of a used mixer unit. Set with 1 complete mixer cup unit and coffee splitter, dishwasher proof.  Using cleaning accessories will save you time, money and effort.	1004954	45,-
	ACCESSORIES FOR ACCESS TO LITTER BIN Set, containing stainless steel slide and drain kit.	1004943	121,-



FIRST AID KIT

Professional suitcase for your service technician. Contains all recommended spare parts needed for servicing the beverage dispensers. Also included: technical manual, technical drawings and spare part list.

FIRST AID KIT OptiBean NG / TOUCH

FIRST AID KIT OptiBean XL NG / TOUCH

FIRST AID KIT OptiBean NG / TOUCH / OptiFresh NG / TOUCH

Article no. Recommended
Retail Price in €

1005028	1.458,-
1005029	1.458,-
1005027	1.886,-

See page 73

See page 75

See page 76



FILTER SYSTEMS

For a longer life cycle and less maintenance, we strongly recommend using a water filter with your OptiBean coffee machine. See page 73.



CLEANING PRODUCTS

For a longer life cycle, less maintenance and a better taste we strongly recommend using Animo cleaning products. See page 75.

BASE CABINET

the clean design lines and high-quality finish of an Animo vending machine with a base cabinet, makes an eye-catching addition to any interior. See page 76.



OptiBean on base cabinet OptiBean on base cabinet with large top board (1005481)



Fresh Brew has been given a new look: the OptiFresh from Animo. The machine with a distinctive design. For delicious fresh filter coffee and a range of coffee varieties, which you can serve with one touch of a button. The OptiFresh is simple to use and just as easy to maintain.

SALES SPECIFICATIONS

- Intuitive touchscreen interface or keypad
- Fresh Brew brewing system with permanent filter
- OptiFresh Bean: Grinder with ceramic burrs (Ditting®, 300.000 cups)
- Suitable for cups and thermos jugs
- Separate coffee and hot water outlet
- Adjustable coffee strength (also for milk and sugar)
- STOP button
- OptiLight LED lighting (any colour, RGB)
- Intelligent Energy Save Mode
- Cleaning program (access on control panel)
- Usage counter
- Insulated stainless steel boiler with dry boil protection
- Adjustable water temperature control
- Stainless steel housing
- Adjustable rpm of mixer motor
- Adjustable feet (4X)
- Prepared for telemetry (EVA DTS/MDB/DEX-UCS)
- Prepared for various payment systems (MDB/G13)
- Energy label A+

TECHNICAL SPECIFICATIONS

- Capacity bean hopper: 5,9 ltr/2200 gr/290 cups
- Capacity boiler: 3 ltr, 2200W
- Hour capacity: 130 cups coffee (120 ml)/25 ltr hot water
- Brewing time, cup (120 ml): 28 sec
- Electrical connection: 220-240V/50-60Hz/2275W
- Fixed water connection: 3/4"
- Adjustable cup tray: 60 - 115 mm
- Max. tap height: 167 mm
- Large waste compartment: 6 ltr (abt. 130 cups)


DRINK SELECTIONS

The drink selections depend on the ingredients that you select for each canister. The adjustable controls make it easy to change the options.

	1	2	3	4
Coffee (jugs)	✓	✓	✓	✓
Coffee with milk		✓	✓	✓
Coffee with sugar			⊙	✓
Coffee with milk and sugar			⊙	✓
Chocolate		⊙	✓	✓
Coffee chocolate		⊙	✓	✓
Cappuccino		✓	✓	✓
Wiener Melange			✓	✓
Latte Macchiato		✓	✓	✓
Espresso	⊙	⊙	⊙	⊙
Double Espresso	⊙	⊙	⊙	⊙
Hot water	✓	✓	✓	✓
Tea		⊙	⊙	⊙
Cappuccino with sugar			⊙	⊙
Espresso with sugar			⊙	⊙
Espresso chocolate		⊙	⊙	⊙
Chocolate milk			⊙	⊙
Warm milk		⊙	⊙	⊙

✓ Standard configuration from factory

⊙ Adjustable selections (depending on the chosen ingredients)






OptiFresh 1 Touch

Number of Fresh Brew canisters: 1 (5.1 ltr)
Dimensions WxDxH: 409x575x773 mm

5.1 ltr Fresh brew coffee: abt. 1800 gr / 230 cups




OptiFresh 2 Touch

Number of Fresh Brew canisters: 1 (5.1 ltr)
Number of instant canisters: 1 (5.1 ltr)
Number of mixers: 1
Dimensions WxDxH: 409x575x773 mm

5.1 ltr Fresh brew coffee: abt. 1800 gr / 230 cups

5.1 ltr Topping: abt. 3200 gr / 210 cups




OptiFresh 3 Touch

Number of Fresh Brew canisters: 1 (5.1 ltr)
Number of instant canisters: 2 (2.3 ltr)
Number of mixers: 1
Dimensions WxDxH: 409x575x773 mm

5.1 ltr Fresh brew coffee: abt. 1800 gr / 230 cups

2.3 ltr Topping: abt. 1350 gr / 90 cups

2.3 ltr Chocolate: abt. 1500 gr / 85 cups



OptiFresh 4 Touch

Number of Fresh Brew canisters: 1 (5.1 ltr)
Number of instant canisters: 1 (2.3 ltr)
2 (1.2 ltr)
Number of mixers: 2
Dimensions WxDxH: 409x575x773 mm

5.1 ltr Fresh brew coffee: abt. 1800 gr / 230 cups

2.3 ltr Topping: abt. 1350 gr / 90 cups

1.2 ltr Chocolate: abt. 800 gr / 45 cups

1.2 ltr Sugar: abt. 1060 gr / 245 cups

Recommended
Article no. Retail Price in €

1006003 ■ 3.345,-

Net unit price in €,
based on order quantity

1 unit	2.150,00
2 - 4 units	2.107,00
5 - 8 units	2.064,00
9 - 12 units	2.021,00

1006004 ■ 3.815,-

Net unit price in €,
based on order quantity

1 unit	2.455,00
2 - 4 units	2.405,90
5 - 8 units	2.356,80
9 - 12 units	2.307,70

1006005 ■ 4.085,-

Net unit price in €,
based on order quantity


1 unit	2.655,00
2 - 4 units	2.601,90
5 - 8 units	2.548,80
9 - 12 units	2.495,70

1006006 ■ 4.510,-

Net unit price in €,
based on order quantity

1 unit	2.860,00
2 - 4 units	2.802,80
5 - 8 units	2.745,60
9 - 12 units	2.688,40

Recommended
Article no. Retail Price in €




OptiFresh Bean 1 Touch

Number of bean canisters: 1 (2200 gr)
Dimensions WxDxH: 409x575x865 mm

Coffee beans: abt. 2200 gr / 290 cups

1006007 3.875,-

Net unit price in €,
based on order quantity
1 unit 2.505,00
2 - 4 units 2.454,90
5 - 8 units 2.404,80
9 - 12 units 2.354,70




OptiFresh Bean 2 Touch

Number of bean canisters: 1 (2200 gr)
Number of instant canisters: 1 (5.1 ltr)
Number of mixers: 1
Dimensions WxDxH: 409x575x865 mm

Coffee beans: abt. 2200 gr / 290 cups
5.1 ltr Topping: abt. 3200 gr / 210 cups

1006008 4.345,-

Net unit price in €,
based on order quantity
1 unit 2.785,00
2 - 4 units 2.729,30
5 - 8 units 2.673,60
9 - 12 units 2.617,90




OptiFresh Bean 3 Touch

Number of bean canisters: 1 (2200 gr)
Number of instant canisters: 2 (2.3 ltr)
Number of mixers: 1
Dimensions WxDxH: 409x575x865 mm

Coffee beans: abt. 2200 gr / 290 cups
2.3 ltr Topping: abt. 1350 gr / 90 cups
2,3 ltr Chocolate: abt. 1500 gr / 85 cups

1006009 4.640,-

Net unit price in €,
based on order quantity
1 unit 3.010,00
2 - 4 units 2.949,80
5 - 8 units 2.889,60
9 - 12 units 2.829,40



OptiFresh Bean 4 Touch

Number of bean canisters: 1 (2200 gr)
Number of instant canisters 1 (2.3 ltr)
 2 (1.2 ltr)
Number of mixers: 2
Dimensions WxDxH: 409x575x865 mm

Coffee beans: abt. 2200 gr / 290 cups
2.3 ltr Topping: abt. 1350 gr / 90 cups
1.2 ltr Chocolate: abt. 800 gr / 45 cups
1.2 ltr Sugar: abt. 1060 gr / 245 cups

1006010 5.055,-

Net unit price in €,
based on order quantity
1 unit 3.205,00
2 - 4 units 3.140,90
5 - 8 units 3.076,80
9 - 12 units 3.012,70

PAYMENT SYSTEMS

Connecting your vending machine to an Animo payment system.

For all possibilities, see page 80

See page 80





SURCHARGE FOR OptiFresh (Bean) Touch - HOT & COLD

OptiFresh Touch prepared with an extra option for dispensing cold water.
Used in combination with base cabinet with cooling unit,
article number 1005720. See page 76.



CUP DETECTION

Detect the presence of cups, glasses or thermos jugs below the coffee outlet and the hot water outlet. "We recommend using non-transparent cups/mugs, best results are obtained with lighter colors (matte black is not recommended)"



ENLARGEMENT SET BEAN HOPPER

To enlarge the bean hopper (OptiFresh Bean) with abt. 700 gr / 95 cups.
Maximum of 2 sets per machine.



ENLARGEMENT SET XL INSTANT AND FRESH BREW COFFEE

Enlargement set for enlarging capacity of instant and fresh brew coffee canisters of the OptiFresh Touch.



ENLARGEMENT SET XL INSTANT

Enlargement set for enlarging capacity of instant canisters of the OptiFresh Bean Touch.

OptiFresh Touch FOR DECAF

The default Fresh Brew coffee canister is replaced by two separate canisters one for Fresh Brew coffee and one for Decaf.

Article no. Recommended
Retail Price in €

1004122 265,-

1003385 122,-

1003997 96,-

1003996 250,-

1003996 250,-

99865 233,-

**COFFEE CUP HEATER KKWh**

The cup heater is made of CrNi 18/9 stainless steel and consists of two compartments which can be used separately.

Electrical connection : 1N~230V/140W/50-60Hz

Dimensions (WxDxH) : 300x430x585 mm (without cups)

COFFEE CUP HEATER KKWh, WITH SIDE PANELS IN BLACK

Article no. Recommended
Retail Price in €

70037 ■ 762,-

1003334 ■ 762,-

**CUP DISPENSERS**

Stainless steel cup dispensers for wall mounting. A perfect solution in combination with a hot beverage dispenser or water cooler.

Adjustable : **cups diameter 58 - 80 mm** (180 - 400 ml)

Capacity : abt. 100 cups

Dimensions : Ø 100x615 mm / round model

Adjustable : **cups diameter 70 - 98 mm** (350 - 940 ml)

Capacity : abt. 100 cups

Dimensions : Ø 112x615 mm / round model

Adjustable : **cups diameter 61 - 75 mm** (180 - 400 ml)

Capacity : abt. 100 cups

Dimensions : W = 93 x D = 99 x H = 606 mm / square model

1009772 118,-

1009773 129,-

1010034 108,-

**THERMOS JUG 1.0 LTR**

Stainless steel inner lining.

Dimensions (ØxH) : 142x165 mm (without lid)

08436 38,-

**COVER DRIP TRAY**

Stainless steel cover to protect drip tray.

1006317 28,-



WATER PUMP STAND-ALONE (supplied without bottle)
Incl. 6 m connection tube, supplied with bottle empty
detection by a float switch.
Electrical connection : 230V / 50-60Hz / 60W
Output speed : 3.6 ltr / min
Splashproof : IPX4
Water connection : 3/4"



WATER TANK STAND-ALONE
Water tank suitable for water pump.
Content : 18 ltr



IMMERSION PUMP OptiFresh Touch
OptiFresh prepared with an extra option
for connection to an immersion pump. Including
immersion pump.
Electrical connection : 24V
Water connection : 3/4"
Water hose : 1.4 m

Article no. Recommended
Retail Price in €

93500 318,-

01013 26,-

1005230 174,-



HYGIENE KIT FOR MIXER CUPS OptiFresh (Bean) 2/3 NG / Touch

Exchange kit for easy cleaning of a used mixer unit.
Set with 1 complete mixer cup unit, dishwasher proof.

 Using cleaning accessories will save you time, money and effort.



**PERMANENT FILTER STAINLESS STEEL
OptiFresh (Bean) NG / Touch**



ACCESSORIES FOR ACCESS TO LITTER BIN

Set, containing stainless steel slide.



FIRST AID KIT OptiFresh NG / Touch

Professional suitcase for your service technician. Contains all recommended spare parts needed for servicing the beverage dispensers. Also included: technical manual, technical drawings and spare part list.

Article no. Recommended
Retail Price in €

1005031 57,-

1005032 72,-

03488 51,-

1005221 70,-

1005030 1.352,-



FILTER SYSTEMS

For a longer life cycle and less maintenance, we strongly recommend using a water filter when using an OptiFresh coffee machine. See page 73.

See page 73



CLEANING PRODUCTS

For a longer life cycle, less maintenance and a better taste we strongly recommend using Animo cleaning products. See page 75.

See page 75

BASE CABINET

the clean design lines and high-quality finish of an Animo vending machine with a base cabinet makes an eye-catching addition to any interior.
See page 76.

See page 76



OptiFresh on base cabinet

OptiFresh Bean on base cabinet with large top board (1005481)



The Animo OptiVend Touch produces large quantities of instant coffee within seconds – right at taste and temperature. Espresso, cappuccino, tea, chocolate or soup? OptiVend Touch is always ready for your next kick. It comes in different models and versions: for cups, thermos jugs, and with two outlets for two thermos jugs at once (DUO models).

SALES SPECIFICATIONS

- Recommended daily output: from 15 up to 1.250 beverages
- Durable machine (high quality components)
- Up to 4 canisters for instant ingredients
- Seperate hot water tap
- Inviting led at the outlet
- HS DUO: for two drinks at once (High Speed)
- Easy to swipe 7" touchscreen with intuitive user-interface
- STOP button
- Screensaver to show logo, image or advertisement
- Nutritional information on screen
- Screen notification when the canister is (almost) empty
- Different options for background colour in display
- Strength control (also for milk and sugar)
- Easy user support on screen
- Insulated stainless steel boiler with dry boil protection
- Adjustable water temperature control

- Intelligent Energy Save Mode
- Different power executions available (high speed machines)
- Mixer system with adjustable mixer speed (RPM)
- Prepared for telemetry (EVA DTS/MDB/DEX-UCS)
- Prepared for many payment systems (MDB/G13)
- Suitable for cups and thermos jugs (TS/TL)
- Available in white, black, or green
- Energy label A+

TECHNICAL SPECIFICATIONS

- Brewing time, cup (120 ml): 5 - 12 sec
- Hour capacity: abt. 360 cups of coffee (120 ml)/40 ltr hot water
- Electrical connection: 230V/50-60Hz/3275W
- Capacity boiler: 2.7 ltr (OVs)/5.5 ltr/3200W
- Adjustable cup tray: 100 - 155 mm
- Max. tap height: 118 mm/TS 235 mm/TL 355 mm
- Fixed water connection: 3/4"


DRINK SELECTIONS

The drink selections depend on the ingredients that you select for each canister.

The adjustable controls make it easy to change the options.


	11s	11(s) TS & 11 TL	21s	22 TS	32s	32 (TS)	33 (TS)	42 (TS)	43 (TS)	22 TS HS	42 TS HS
Coffee (thermos jugs)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓ (2x)	✓ (2x)
Coffee with milk			✓	✓	✓	✓	✓	✓	✓		✓ (2x)
Espresso	✓	✓	✓	✓	✓	✓	✓	✓	✓	● (2x)	✓ (2x)
Cappuccino			✓	✓	✓	✓	✓	✓	✓		✓ (2x)
Latte Macchiato				⊙	⊙	⊙	⊙	⊙	⊙		● (2x)
Coffee choc			⊙	⊙	✓	✓	✓	✓	✓		⊙ (2x)
Chocolate milk			●	●	✓	✓	✓	✓	✓		⊙ (2x)
Wiener Melange					✓	✓	✓	✓	✓		
Hot water (thermos jugs)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓ (2x)	✓ (2x)
Espresso choc			●	●	⊙	⊙	⊙	⊙	⊙		● (2x)
Decaf	⊙	⊙	●	●	●	●	●	●	●		⊙ (2x)
Tea	⊙	⊙	●	●	●	●	●	●	●		⊙ (2x)
Coffee with sugar								✓	✓		⊙ (2x)
Double Espresso	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	● 2x	✓ (2x)
Hot chocolate	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	● 2x	● (2x)
Soup	⊙	⊙	●	●	●	●	●	●	●	● 2x	● (2x)
Hot milk	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	● 2x	● (2x)
Cold water	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙		

✓ Standard configuration from factory ⊙ Adjustable selections (depending on the chosen ingredients) ● Optional software required



STEP 1


FIRST THE MACHINE



OptiVend 11s Touch

Dispense time / hour capacity: 11 sec / 320 cups
 Number of instant canisters: 1 (5.1 ltr)
 Number of mixers: 1
 Dimensions WxDxH: 248x501x569 mm


5.1 ltr Instant coffee:	abt. 1300 gr / 640 cups
5.1 ltr Chocolate:	abt 3300 gr / 185 cups



OptiVend 21s Touch

Dispense time / hour capacity: 11 sec / 320 cups
 Number of instant canisters: 2 (2.3 ltr)
 Number of mixers: 1
 Dimensions WxDxH: 248x501x569 mm


2.3 ltr Instant coffee:	abt. 500 gr / 250 cups
2.3 ltr Topping:	abt. 1350 gr / 115 cups



OptiVend 32s Touch

Dispense time / hour capacity: 11 sec / 320 cups
 Number of instant canisters: 2 (1.2 ltr)
 Number of mixers: 1 (2.3 ltr)
 Dimensions WxDxH: 248x501x569 mm

1.2 ltr Chocolate:	abt. 800 gr / 45 cups
1.2 ltr Topping:	abt. 750 gr / 65 cups
2.3 ltr Instant coffee:	abt. 500 gr / 250 cups



OptiVend 11s TS Touch

Dispense time / hour capacity: 7 sec / 360 cups
 65 sec / 1x 1.5 ltr jug
 Number of instant canisters: 1 (5.1 ltr)
 Number of mixers: 1
 Dimensions WxDxH: 248x501x686 mm

5.1 ltr Instant coffee:	abt. 1300 gr / 640 cups
5.1 ltr Chocolate:	abt 3300 gr / 185 cups

Article no. Recommended
 Retail Price in €

1009950 1.435,-

Net unit price in €,
 based on order quantity

1 unit	1.030,00
2 - 4 units	1.009,40
5 - 8 units	998,80
9 - 12 units	968,20

1009951 1.535,-

Net unit price in €,
 based on order quantity

1 unit	1.100,00
2 - 4 units	1.078,00
5 - 8 units	1.056,00
9 - 12 units	1.034,00

1009953 1.715,-

Net unit price in €,
 based on order quantity


1 unit	1.240,00
2 - 4 units	1.215,20
5 - 8 units	1.190,40
9 - 12 units	1.165,60

1009954 1.845,-

Net unit price in €,
 based on order quantity

1 unit	1.340,00
2 - 4 units	1.313,20
5 - 8 units	1.286,40
9 - 12 units	1.259,60

Recommended
Article no. Retail Price in €



OptiVend 32 Touch

Dispense time / hour capacity: 7 sec / 360 cups

Number of instant canisters: 2 (2.3 ltr)

1 (5.1 ltr)

Number of mixers: 2

Dimensions WxDxH: 409x521x569 mm

2.3 ltr Chocolate: abt. 1500 gr / 85 cups

2.3 ltr Topping: abt. 1350 gr / 115 cups

5.1 ltr Instant coffee: abt. 1300 gr / 640 cups

1009960 2.255,-


Net unit price in €,
based on order quantity

1 unit 1.635,00

2 - 4 units 1.602,30

5 - 8 units 1.569,60

9 - 12 units 1.536,90



OptiVend 33 Touch

Dispense time / hour capacity: 7 sec / 360 cups

Number of instant canisters: 2 (2.3 ltr)

1 (5.1 ltr)

Number of mixers: 3

Dimensions WxDxH: 409x521x569 mm

2.3 ltr Chocolate: abt. 1500 gr / 85 cups

2.3 ltr Instant coffee: abt. 500 gr / 250 cups

5.1 ltr Topping: abt. 3200 gr / 265 cups

1009961 2.345,-


Net unit price in €,
based on order quantity

1 unit 1.700,00

2 - 4 units 1.666,00

5 - 8 units 1.632,00

9 - 12 units 1.598,00



OptiVend 42 Touch

Dispense time / hour capacity: 7 sec / 360 cups

Number of instant canisters: 4 (2.3 ltr)

Number of mixers: 2

Dimensions WxDxH: 409x521x569 mm

2.3 ltr Chocolate: abt. 1500 gr / 85 cups

2.3 ltr Topping: abt. 1350 gr / 115 cups

2.3 ltr Instant coffee: abt. 500 gr / 250 cups

2.3 ltr Sugar: abt. 1900 gr / 450 cups

1009962 2.345,-


Net unit price in €,
based on order quantity

1 unit 1.700,00

2 - 4 units 1.666,00

5 - 8 units 1.632,00

9 - 12 units 1.598,00



OptiVend 43 Touch

Dispense time / hour capacity: 7 sec / 360 cups

Number of instant canisters: 4 (2.3 ltr)

Number of mixers: 3

Dimensions WxDxH: 409x521x569 mm

2.3 ltr Chocolate: abt. 1500 gr / 85 cups

2.3 ltr Topping: abt. 1350 gr / 115 cups

2.3 ltr Instant coffee: abt. 500 gr / 250 cups

2.3 ltr Sugar: abt. 1900 gr / 450 cups

1009963 2.435,-

Net unit price in €,
based on order quantity


1 unit 1.765,00

2 - 4 units 1.729,70

5 - 8 units 1.694,40

9 - 12 units 1.659,10

Recommended
Article no. Retail Price in €



OptiVend 11 TS Touch

Dosing time / hour capacity: 7 sec / 360 cups

85 sec / 1x 2 ltr jug

Number of instant canisters: 1 (5.1 ltr)

Number of mixers: 1

Dimensions WxDxH: 409x521x686 mm

5,1 ltr Instant coffee: abt. 1300 gr / 640 cups

1009964 2.210,-


Net unit price in €,
based on order quantity

1 unit 1.600,00

2 - 4 units 1.568,00

5 - 8 units 1.536,00

9 - 12 units 1.504,00



OptiVend 22 TS Touch

Dosing time / hour capacity: 7 sec / 360 cups

85 sec / 1x 2 ltr jug

Number of instant canisters: 2 (5.1 ltr)

Number of mixers: 2

Dimensions WxDxH: 409x521x686 mm

5.1 ltr Instant coffee: abt. 1300 gr / 640 cups

5.1 ltr Topping: abt. 3200 gr / 265 cups

1009965 2.565,-


Net unit price in €,
based on order quantity

1 unit 1.865,00

2 - 4 units 1.827,70

5 - 8 units 1.790,40

9 - 12 units 1.753,10



OptiVend 32 TS Touch

Dosing time / hour capacity: 7 sec / 360 cups

85 sec / 1x 2 ltr jug

Number of instant canisters: 2 (2.3 ltr)

1 (5.1 ltr)

Number of mixers: 2

Dimensions WxDxH: 409x521x686 mm

2.3 ltr Chocolate: abt. 1500 gr / 85 cups

2.3 ltr Topping: abt. 1350 gr / 115 cups

5.1 ltr Instant coffee: abt. 1300 gr / 640 cups

1009966 2.670,-


Net unit price in €,
based on order quantity

1 unit 1.930,00

2 - 4 units 1.891,40

5 - 8 units 1.852,80

9 - 12 units 1.814,20



OptiVend 33 TS Touch

Dosing time / hour capacity: 7 sec / 360 cups

85 sec / 1x 2 ltr jug

Number of instant canisters: 2 (2.3 ltr)

1 (5.1 ltr)

Number of mixers: 3

Dimensions WxDxH: 409x521x686 mm

2.3 ltr Chocolate: abt. 1500 gr / 85 cups

2.3 ltr Instant coffee: abt. 500 gr / 250 cups

5.1 ltr Topping: abt. 3200 gr / 265 cups

1009967 2.750,-

Net unit price in €,
based on order quantity


1 unit 2.000,00

2 - 4 units 1.960,00

5 - 8 units 1.920,00

9 - 12 units 1.880,00

Recommended
Article no. Retail Price in €



OptiVend 42 TS Touch

Dosing time / hour capacity: 7 sec / 360 cups

85 sec / 1x 2 ltr jug

Number of instant canisters: 4 (2.3 ltr)

Number of mixers: 2

Dimensions WxDxH: 409x521x686 mm

2.3 ltr Chocolate: abt. 1500 gr / 85 cups

2.3 ltr Topping: abt. 1350 gr / 115 cups

2.3 ltr Instant coffee: abt. 500 gr / 250 cups

2.3 ltr Sugar: abt. 1900 gr / 450 cups

1009968 2.750,-


Net unit price in €,
based on order quantity

1 unit 2.000,00

2 - 4 units 1.960,00

5 - 8 units 1.920,00

9 - 12 units 1.880,00



OptiVend 43 TS Touch

Dosing time / hour capacity: 7 sec / 360 cups

85 sec / 1x 2 ltr jug

Number of instant canisters: 4 (2.3 ltr)

Number of mixers: 3

Dimensions WxDxH: 409x521x686 mm

2.3 ltr Chocolate: abt. 1500 gr / 85 cups

2.3 ltr Topping: abt. 1350 gr / 115 cups

2.3 ltr Instant coffee: abt. 500 gr / 250 cups

2.3 ltr Sugar: abt. 1900 gr / 450 cups

1009969 2.855,-


Net unit price in €,
based on order quantity

1 unit 2.070,00

2 - 4 units 2.028,60

5 - 8 units 1.987,20

9 - 12 units 1.945,80



OptiVend 11 TL Touch

Dosing time / hour capacity: 7 sec / 360 cups

85 sec / 1x 2.1 ltr jug

Number of instant canisters: 1 (5.1 ltr)

Number of mixers: 1

Dimensions WxDxH: 409x521x806 mm

5.1 ltr Instant coffee: abt. 1300 gr / 640 cups

1009970 2.365,-


Net unit price in €,
based on order quantity

1 unit 1.710,00

2 - 4 units 1.675,80

5 - 8 units 1.641,60

9 - 12 units 1.607,40



OptiVend 22 TL Touch

Dosing time / hour capacity: 7 sec / 360 cups

85 sec / 1x 2.1 ltr jug

Number of instant canisters: 2 (5.1 ltr)

Number of mixers: 2

Dimensions WxDxH: 409x521x806 mm

5.1 ltr Instant coffee: abt. 1300 gr / 640 cups

5.1 ltr Topping: abt. 3200 gr / 265 cups

1009971 2.720,-

Net unit price in €,
based on order quantity

1 unit 1.980,00

2 - 4 units 1.940,40

5 - 8 units 1.900,80

9 - 12 units 1.861,20


Article no. Recommended
Retail Price in €



OptiVend High Speed DUO Touch

Specially for the preparation of large quantity coffee with high speed in two cups / thermos jugs at the same time. **Two outlets.**


Dimensions WxDxH: 409x521x686 mm
Hour capacity: abt. 1.250 cups (120 ml)
Capacity hot water: 105 ltr
Dosing time: 1 cup (120 ml) / 5 sec
2 cups (120 ml) / 5 sec
2 jugs (1,5 ltr) / 60 sec
2 jugs (2 ltr) / 77 sec
Electrical connection: 3N~380-415V / 50-60Hz / 9675W
Dispensing height: 115 (cups) / 235 (jug) mm



OptiVend 22 TS HS DUO Touch

Number of instant canisters: 2 (5.1 ltr)
Number of mixers: 2

5,1 ltr Instant coffee:	abt. 1300 gr / 640 cups
5,1 ltr Instant coffee:	abt. 1300 gr / 640 cups



OptiVend 42 TS HS DUO Touch

Number of instant canisters: 4 (2.3 ltr)
Number of mixers: 2

2,3 ltr Instant coffee:	abt. 500 gr / 250 cups
2,3 ltr Topping:	abt. 1350 gr / 115 cups
2,3 ltr Instant coffee:	abt. 500 gr / 250 cups
2,3 ltr Topping:	abt. 1350 gr / 115 cups

1009976 2.865,-


Net unit price in €,
based on order quantity

1 unit	2.075,00
2 - 4 units	2.033,50
5 - 8 units	1.992,00
9 - 12 units	1.950,50

1009979 3.035,-

Net unit price in €,
based on order quantity

1 unit	2.208,00
2 - 4 units	2.163,84
5 - 8 units	2.119,68
9 - 12 units	2.075,52



The OptiVend Touch with 5 or 6 canisters for instant ingredients is available on request.

Please inquire about the possibilities.

STEP 2

SELECT THE LOOK

FRONT COLOUR

We offer three options.
All in high gloss.



White



Black



Green

STEP 3

THE MACHINE OPTIONS



~380-415V

SURCHARGE FOR POWER CURRENT EXECUTIONS

Suitable for OptiVend Touch TS and TL.

STANDARD

Electrical connection : **1N~220-240V/50-60Hz/3275W/16A**

Hour capacity : abt. 360 cups (120 ml)

Dosing time : abt. 5-12 sec per cup (120 ml)

Hour capacity hot water : abt. 45 ltr

Electrical connection : **1N~220-240V/50-60Hz/2260W/10A**

Hour capacity : abt. 260 cups (120 ml)

Dosing time : abt. 5-12 sec per cup (120 ml)

Hour capacity hot water : abt. 33 ltr

Electrical connection : **1N~220-240V/50-60Hz/3060W/13A**

Hour capacity : abt. 320 cups (120 ml)

Dosing time : abt. 5-12 sec per cup (120 ml)

Hour capacity hot water : abt. 43 ltr

Electrical connection : **2N~380-415V/50-60Hz/6460W/35A**

Hour capacity : abt. 700 cups (120 ml)

Dosing time : abt. 5-12 sec per cup (120 ml)

Hour capacity hot water : abt. 85 ltr

Electrical connection : **3N~380-415V/50-60Hz/9660W/40A**

Hour capacity : abt. 1050 cups (120 ml)

Dosing time : abt. 5-12 sec per cup (120 ml)

Hour capacity hot water : abt. 125 ltr



CONNECTION PLUG

STANDARD

EU-European power plug and outlet



CH-Swiss power plug and outlet



UK-English power plug and outlet



DK-Danish power plug and outlet



Article no.

Recommended
Retail Price in €

1010401

1010400

99861

426,-

99862

644,-

1010402

1010403

1010404



SURCHARGE FOR OptiVend Touch - HOT & COLD

OptiVend Touch prepared with an extra option for dispensing cold water. Used in combination with base cabinet with cooling unit, article number 1005720. See page 76. Only applicable for the wide models.



CUP DETECTION

Detect the presence of cups, glasses or thermos jugs below the coffee outlet and the hot water outlet. **Not applicable for HS DUO.**

PAYMENT SYSTEMS

Connecting your vending machine to an Animo payment system.
For all possibilities, see page 80



Article no. Recommended
Retail Price in €

1004065 70,-

1003857 122,-

See page 80

STEP 4

AND THE ADD ONS



CUP DISPENSER

Tabletop cup dispensing cabinet with 3 cup dispensers. Easy to adjust for cup size Ø60 - 90 mm Equipped with automatic cup press mechanism and removable ingredient box on top.

Capacity: abt. 3 x 50 cups (30 cm)

Colour: black

Dimensions (WxDxH): 140x375x570 mm



COFFEE CUP HEATER KKW_n

The cup heater is made of CrNi 18/9 stainless steel and consists of two compartments which can be used separately.

Electrical connection : 1N~230V/140W/50-60Hz

Dimensions (WxDxH) : 300x430x585 mm (without cups)

COFFEE CUP HEATER KKW_n, WITH SIDE PANELS IN BLACK



WATER RESERVOIR

Lockable water reservoir with integrated water filter system.

Removable reservoir including one Brita Maxtra+ filter

Capacity: 8.2 ltr (5.2 ltr filtered water)

Colour front door: black

Dimensions WxDxH: 230x420x455 mm

For filter systems see page 79.



S-SWIVELARM

Stainless steel swivel arm.



CUP POSITIONING

Ideal for self-service. Easy assembly on tray.



ENLARGEMENT SET XL INSTANT

Enlargement set for enlarging capacity of instant canisters (max. of H=390).

Instant canister 5.1 ltr will be increased to 9 ltr

Instant canister 2.3 ltr will be increased to 4.1 ltr

- OVT 2 *

- OVT 3 *

- OVT 4 *

Article no. Recommended
Retail Price in €

1010386 808,-

70037 ■ 762,-

1003334 ■ 762,-

1008149 765,-

1010306 129,-

1008148 10,-

1010291 250,-

1010292 250,-

1010293 250,-



HYGIENE KIT FOR MIXER CUPS OptiVend 11s, 21s NG / Touch

Exchange kit for easy cleaning of a used mixer unit.

Set with 1 complete mixer cup unit, dishwasher proof.

Save money en time by using this product.

HYGIENE KIT FOR MIXER CUPS OptiVend 32s NG / Touch

Exchange kit for easy cleaning of a used mixer unit.

Set with 2 complete mixer cup units, dishwasher proof.

Save money en time by using this product.

HYGIENE KIT FOR MIXER CUPS OptiVend 11NG / Touch

Exchange kit for easy cleaning of a used mixer unit.

Set with 1 complete mixer cup unit, dishwasher proof.

Save money en time by using this product.

HYGIENE KIT FOR MIXER CUPS OptiVend 22, 32, 42 NG / Touch

Exchange kit for easy cleaning of a used mixer unit.

Set with 2 complete mixer cup units (2-4 canisters), dishwasher proof.

Save money en time by using this product.

HYGIENE KIT FOR MIXER CUPS OptiVend 33, 43 NG / Touch

Exchange kit for easy cleaning of a used mixer unit.

Set with 3 complete mixer cup units (3-4 canisters), dishwasher proof.

Save money en time by using this product.

HYGIENE KIT FOR MIXER CUPS OptiVend 53 NG / Touch

Exchange kit for easy cleaning of a used mixer unit.

Set with 3 complete mixer cup units (5 canisters), dishwasher proof.

Save money en time by using this product.

HYGIENE KIT FOR MIXER CUPS OptiVend 63 NG / Touch

Exchange kit for easy cleaning of a used mixer unit.

Set with 3 complete mixer cup units (6 canisters), dishwasher proof.

Save money en time by using this product.



FIRST AID KIT OptiVend Touch

Professional suitcase for your service technician. Contains all recommended spare parts needed for servicing the beverage dispensers. Also included: technical manual, technical drawings and spare part list.

Article no. Recommended
Retail Price in €

1003983 45,-

1003984 57,-

1003985 45,-

1003986 76,-

1003987 79,-

1003988 89,-

1003990 89,-

1004064 648,-



COFFEE CUP HEATER KKWh

The cup heater is made of CrNi 18/9 stainless steel and consists of two compartments which can be used separately.

Electrical connection : 1N~230V/140W/50-60Hz

Dimensions (WxDxH) : 300x430x585 mm (without cups)

COFFEE CUP HEATER KKWh, WITH THE SIDES IN BLACK

Article no. Recommended
Retail Price in €

70037 ■ 762,-

1003334 ■ 762,-



CUP DISPENSERS

Stainless steel cup dispensers for wall mounting. A perfect solution in combination with a hot beverage dispenser or water cooler.

Adjustable : **cups diameter 58 - 80 mm** (180 - 400 ml)

Capacity : abt. 100 cups

Dimensions : Ø 100x615 mm / round model

Adjustable : **cups diameter 70 - 98 mm** (350 - 940 ml)

Capacity : abt. 100 cups

Dimensions : Ø 112x615 mm / round model

Adjustable : **cups diameter 61 - 75 mm** (180 - 400 ml)

Capacity : abt. 100 cups

Dimensions : W = 93 x D = 99 x H = 606 mm / square model

1009772 118,-

1009773 129,-

1010034 108,-



THERMOS JUG, STAINLESS STEEL INNER LINING

1.0 LTR Dimensions (ØxH) : 142x165 mm (without lid)

1.5 LTR Dimensions (ØxH) : 142x190 mm (without lid)

2.0 LTR Dimensions (ØxH) : 142x222 mm (without lid)

08436 38,-

08419 44,-

08420 47,-



THERMOS JUG 1.85 LTR

Suitable for OptiVend TL Touch.

Dimensions ØxH : 150x310 mm

08304 67,-



THERMOS JUG WITH PUMP 2.1 LTR

With stainless steel inner lining.

Suitable for OptiVend TL Touch.

Dimensions ØxH : 155x455 mm (336 open lid)

Dispensing height : 305 mm

10419 120,-

Article no. Recommended
Retail Price in €



THERMOS JUG WITH PUMP 2.1 LTR

With glass inner lining.
Suitable for OptiVend TL Touch.
Dimensions ØxH : 155x455 mm (336 open lid)
Dispensing height : 305 mm

10420 120,-



THERMOS CONTAINER 2.4 LTR

With no-drip tap, filling lid, gauge glass and integrated handle and stainless steel body. Supplied with an extra gauge glass and cleaning brush behind the gauge glass safety cap. Suitable for OptiVend TL Touch.
(remove drip tray).
Dimensions ØxH : 175x386 mm
Dispensing height : 90 mm

50241 280,-



WATER PUMP STAND-ALONE (supplied without bottle)

Incl. 6 m connection tube, supplied with bottle empty detection by a float switch.
Electrical connection : 230V / 50-60Hz / 60W
Output speed : 3.6 ltr / min
Splashproof : IPX4
Water connection : 3/4"

93500 318,-



WATER TANK STAND-ALONE

Water tank suitable for water pump.
Content : 18 ltr

01013 26,-



IMMERSION PUMP OPTIVEND

OptiVend Touch prepared with an extra option for connection to an immersion pump. Including immersion pump.
Electrical connection : 24V
Water connection : 3/4"
Water hose : 1.4 mtr

1005230 174,-



OptiVend Touch ACCESSORIES

For all different accessories for OptiVend Touch. See page 65.

See page 65



FILTER SYSTEMS

For a longer life cycle and less maintenance, we strongly recommend using a water filter when using an OptiVend Touch coffee machine. See page 73.

See page 73



CLEANING PRODUCTS

For a longer life cycle, less maintenance and a better taste we strongly recommend using Animo cleaning products. See page 75.

See page 75

BASE CABINET

The clean design lines and high-quality finish of an Animo vending machine with a base cabinet makes an eye-catching addition to any interior. See page 76.

See page 76



OptiVend on base cabinet



OptiVend on base cabinet with large top board (1005481)



IDEAL FOR....

Cafeterias, sport clubs, hotels, theaters, event venues, hospitals, schools and, of course, offices.



With the Animo OptiCool water dispenser, you can enjoy fresh, pure and cold water at every moment of the day. The OptiCool is a water dispenser that can easily be connected to the water system. This also means no more lifting of heavy bottles and no need to keep bottles in stock, which reduce your costs and maximise space. Water is essential for a healthy life. The OptiCool water dispenser is ideal for the office, waiting rooms, sport centers, canteens, hotels, restaurants, schools and more!

SALES SPECIFICATIONS

- Two models: for filling glasses and cups and for filling bottles, jugs, glasses and cups (TS)
- Direct connection to the water system
- Continuous supply of pure, cold and delicious water
- No more lifting of heavy water bottles
- Very compact and requires little space
- High quality / durability
- Easy to install
- Easy dosing through push and hold system
- Suitable for every situation
- High quality water filter for optimal flavor
- Low maintenance
- Company-specific branding on door and/or side panels

TECHNICAL SPECIFICATIONS

- Dosing time, glass (120 ml): 2.5 sec
- Hour capacity cold water: approx. *10 ltr
- Time before use: approx. 9 min
- Temperature 2°C - 12° C
- Electrical connection: 1N~230V/50Hz/225W
- Water connection: 3/4"
- Dispensing height: 118 mm/267 mm (TS)
- Coolant: R134a
- Water pressure: min 0,02 MPa (0,2 bar)/max. 1 MPa (10 bar)
- Weight: (empty) 24,3 kg/(filled) 24,5 kg

** Inlet temperature 20°C*



OptiCool

Water cooler for fresh cold and pure water. Temperature adjustable between 2 and 12 °C, easy dosing through push and hold system.

- Hour capacity cold water : abt. 10 ltr (abt. 80 glasses of 120 ml)
- Dosing time : abt. 2.5 sec per glasses of 120 ml
- Dispensing height : 118 mm
- Dimensions WxDxH : 226x490x580 mm



OptiCool TS

Water cooler for fresh cold and pure water. Temperature adjustable between 2 and 12 °C, easy dosing through push and hold system. Suitable for glasses and jugs.

- Hour capacity cold water : abt. 10 ltr (abt. 80 glasses of 120 ml)
- Dosing time : abt. 2.5 sec per glasses of 120 ml
- Dispensing height : 118 mm / 267 mm
- Dimensions WxDxH : 226x490x580 mm



BUILT-IN COOL UNIT

Cooling unit for installation in a base cabinet, so that you can get cool water from your coffee machine. Including all necessary connection hoses. Always use this unit in conjunction with a coffee machine equipped with the H&C option.

- Hour capacity cold water : approx. 25 ltr
- Water pressure : max. 800 kPa (8 bar)
- Weight : 21 kg
- Electrical connection : 1N~230V/50Hz/160W
- Dimensions WxDxH : 290x270x390 mm



FILTER SYSTEMS

For a longer life cycle, less maintenance and better taste we strongly recommend to use a water filter with your OptiCool water cooler. See page 74.

Article no. Recommended
Retail Price in €

10445 1.375,-

10440 1.375,-

1002836 1.275,-

See page 74

RECOMMENDED
FILTER SYSTEMS



Complete set: incl. mounting bracket and two stainless steel, armed pressure hoses and cartridge Purity C.....

FILTER SYSTEM BRITA PURITY C150 QUELL ST

Capacity : 21.100 cups of 120 ml (2.408 ltr) at 10°kH.

FILTER SYSTEM BRITA PURITY C300 QUELL ST

Capacity : 33.300 cups of 120 ml (4.000 ltr) at 10°kH.

FILTER SYSTEM BRITA PURITY C500 QUELL ST

Capacity : 56.600 cups of 120 ml (6.800 ltr) at 10°kH.

FILTER SYSTEM BRITA PURITY C1100 QUELL ST

Capacity : 95.800 cups of 120 ml (11.500 ltr) at 10°kH.



Combination filter activated carbon + ion-exchanging

CARTRIDGE BRITA PURITY C150 QUELL ST

Capacity : 21.100 cups of 120 ml (2.408 ltr) at 10°kH.

CARTRIDGE BRITA PURITY C300 QUELL ST

Capacity : 33.300 cups of 120 ml (4.000 ltr) at 10°kH.

CARTRIDGE BRITA PURITY C500 QUELL ST

Capacity : 56600 cups of 120 ml (6.800 ltr) at 10°kH.

CARTRIDGE BRITA PURITY C1100 QUELL ST

Capacity : 95.800 cups of 120 ml (11.500 ltr) at 10°kH.



MAXTRA+ FILTER CARTRIDGE DRIDGE

Set of 6 filter cartridge. MAXTRA+ MicroFlow Technology reduces: limescale build-up, substances that affect water's taste metals such as lead and copper, chlorine and other.

Capacity: abt. 833 cups of 120 ml/ 24 weeks

Article no. Recommended
Retail Price in €

OptiMeX

OptiMe

OptiBeanX

OptiBean Touch

OptiFresh Touch

OptiFresh Bean Touch

OptiVend Touch

OptiCool

99671	273,-	●	●	●	●	●	●	
99672	338,-	●	●	●	●	●	●	
1000293	426,-							●
1003067	516,-							●
07982	112,-	●	●	●	●	●	●	
07983	165,-	●	●	●	●	●	●	
1000292	261,-							●
1003066	363,-							●
1009023	74,-		●					

RECOMMENDED
FILTER SYSTEMS

OptiMeX
OptiMe
OptiBeanX
OptiBean Touch
OptiFresh Touch
OptiFresh Bean Touch
OptiVend Touch
OptiCool

Article no. Recommended
Retail Price in €



Filter system AC Everpure complete

Complete set including filter system AC Everpure (art.no. 08434) and connection set (art.no. 99016).
Capacity: 2.840 ltr / 23.600 cups 120 ml at 7°kH.

99015

142,-



Filter system AC Everpure

Set including cartridge AC Everpure and pressure container lid.
Capacity: approx. 2.840 ltr / 23.600 cups 120 ml at 7°kH.

08434

77,-



Cartridge AC Everpure

Hygienic changeable cartridge, easy to replace.
Capacity: approx. 2.840 ltr / 23.600 cups 120 ml at 7°kH.

08435

47,-



Connection set

Complete set including connection hoses and mounting bracket for filter system AC Everpure.

99016

66,-

CLEAN YOUR MACHINE

RECOMMENDED
CLEANING PRODUCTS

OptiMeX
OptiMe
OptiBeanX
OptiBean Touch
OptiFresh Touch
OptiFresh Bean Touch
OptiVend Touch

Article no. Recommended
Retail Price in €



COFFEE GRINDER CLEANER

Recommended cleaner for your coffee grinder.
Content : 430 gr

1000151 46,- ● ● ● ● ●



OPTICLEAN ESPRESSO CLEANING TABS

Recommended cleaner for the espresso group.
Content : 100 Tabs each 2 gr

1008750 22,- ● ● ● ●

OptiClean®



MILK CLEANER

Recommended milk cleaner for the OptiMe fresh milk module.
Built-in measuring device delivers.
Content : 1.1 ltr (over 36 uses per bottle).
per bottle
per box (6 bottles of 1.1 ltr)

1008126 24,- ●
1008126 120,- ●



OPTICLEAN COFFEE CLEANER

Recommended coffee cleaner.
per can (1 kg)
per 10 cans of 1 kg
per box (100 sachets of 10 gr)

00008 26,- ● ● ● ● ● ●
00008 230,- ● ● ● ● ● ●
49009 88,- ● ● ● ● ● ●

OptiClean®



OPTICLEAN SCALE REMOVER

per can (1 kg)
per 10 cans of 1 kg
per box (48 sachets of 50 gr)

00009 26,- ● ● ● ● ● ●
00009 230,- ● ● ● ● ● ●
49007 88,- ● ● ● ● ● ●

OptiClean®



COFFEE FUR REMOVER (LIQUID)

Recommended coffee fur remover for cleaning of your
permanent filter OptiFresh Bean.
Content : 0.9 Litre

00002 37,- ● ●

PLACE YOUR MACHINE ON A BASE CABINET

RECOMMENDED
BASE CABINET

OptiMeX
OptiMe
OptiBeanX
OptiBean Touch
OptiFresh Touch
OptiFresh Bean Touch
OptiVend Touch

Article no. Recommended
Retail Price in €



BASE CABINET

Base cabinet with top board, one shelf, one drawer, lockable door and four adjustable feet.
Dimensions (WxDxH) : 440x646x965 mm
Colour : black



BASE CABINET WITH ACCESS TO LITTER BIN

Base cabinet with top board, one shelf, one drawer, lockable door and four adjustable feet.
Incl. transit kit (stainless steel transit sleeve and chute, drain kit, jerry can and litter bin (26 ltr).
Dimensions (WxDxH) : 440x646x965 mm
Colour : black



BASE CABINET WITH COOLING UNIT

Base cabinet with cooling unit for dispensing cooled water from the machine. Incl. top board, one drawer, lockable door and four adjustable feet.
Dimensions (WxDxH) : 440x646x965 mm
Colour : black



1005459	739,-	●	●	●	●	●	●
1008281	972,-	●	●				
1005718	972,-			●			
1005719	972,-				●	●	
1011100	972,-		●				
1005720	1.810,-	●	●	●	●	●	●

PLACE YOUR MACHINE ON A BASE CABINET

		Article no.	Recommended Retail Price in €	OptiMeX	OptiMe	OptiBeanX	OptiBean Touch	OptiFresh Touch	OptiFresh Bean Touch	OptiVend Touch
	SMALL TOP BOARD MDF top board for base cabinet. Click-on easy mounting system. Dimensions (WxDxH) : 420x625x18 mm Colour : black	1005480	67,-	●	●	●	●	●	●	●
	SMALL TOP BOARD WITH ACCESS TO LITTER BIN MDF top board for base cabinet. Click-on easy mounting system. Dimensions (WxDxH) : 420x625x18 mm Colour : black	1005482	73,-	●	●	●	●	●	●	
	LARGE TOP BOARD MDF top board for base cabinet. Click-on easy mounting system. Dimensions (WxDxH) : 850x625x18 mm Colour : black	1005481	87,-	●	●	●	●	●	●	●
	LARGE TOP BOARD WITH ACCESS TO LITTER BIN MDF top board for base cabinet. Click-on easy mounting system. Dimensions (WxDxH) : 850x625x18 mm Colour : black	1005483	92,-	●	●	●	●	●	●	

RECOMMENDED
PAYMENT SYSTEM

OptiMeX
OptiMe
OptiBeanX
OptiBean Touch
OptiFresh Touch
OptiFresh Bean Touch
OptiVend Touch

Recommended
Article no. Retail Price in €



COIN MECHANISM

Payment unit including coin mechanism. Installed on the left or right side of the machine Suitable for coffee coins, Euros and other currency.

Colour front: Black
Colour side/back panel: Black RAL 9005
Dimensions WxDxH: 143x417x532 mm

COIN MECHANISM + CONTACTLESS
PAYMENT SYSTEM

Payment unit including coin mechanism and prepared for contactless payment system ¹⁾.

HOUSING FOR COIN MECHANISM

Payment unit prepared for coin mechanism.

HOUSING FOR COIN MECHANISM +
CONTACTLESS PAYMENT SYSTEM

Payment unit prepared for coin mechanism and contactless payment system ¹⁾.



COIN MECHANISM WITH MONEY
EXCHANGER (NRI)

Payment unit including money exchanger. Installed on the left or right side of the machine. Coin insert at the top.

Extendable, ball-bearing mounted.
Suitable for coffee coins, Euros and other currency.
Colour front: Black
Colour side/back panel: Black RAL 9005
Dimensions WxDxH: 143x417x532 mm

COIN MECHANISM WITH MONEY
EXCHANGER (NRI) + CONTACTLESS
PAYMENT SYSTEM

Payment unit including money exchanger and prepared for contactless payment system ¹⁾.

1008225-***	860,-	●	●						
1008225-***	1.080,-	●	●						
1008152-***	485,-	●	●						
1008152-***	700,-	●	●						
1008226-***	1.450,-	●	●						
1008226-***	1.670,-	●	●						

1) On request. Forward all information relating to the contactless payment system to Animo.

CONNECT YOUR MACHINE TO AN ANIMO PAYMENT SYSTEM



HOUSING FOR CONTACTLESS PAYMENT SYSTEMS

Payment unit prepared for contactless payment system 1).

Colour front: Black

Colour side/back panel: Black RAL 9005 or White RAL 9003

Dimensions WxDxH: 143x417x532 mm

HOUSING FOR MONEY EXCHANGER (NRI)

Payment unit prepared for money exchanger.

HOUSING FOR MONEY EXCHANGER (NRI) + CONTACTLESS PAYMENT SYSTEM

Payment unit prepared for money exchanger and contactless payment system 1).

Article no.	Recommended Retail Price in €							
		OptiMeX	OptiMe	OptiBeanX	OptiBean Touch	OptiFresh Touch	OptiFresh Bean Touch	OptiVend Touch
1008153-***	590,-	●	●					
1008153-***	810,-	●	●					
1008154-***	485,-	●	●					

1) On request. Forward all information relating to the contactless payment system to Animo.

CONNECT YOUR MACHINE TO AN ANIMO PAYMENT SYSTEM



COIN MECHANISM

Payment unit including coin mechanism. Installed on the left or right side of the machine. Suitable for coffee coins, Euros and other currency.

Colour: black

Dimensions WxDxH: 137x355x569 mm

COIN MECHANISM + CONTACTLESS PAYMENT SYSTEM

Payment unit including coin mechanism and prepared for contactless payment system ¹⁾.

HOUSING FOR COIN MECHANISM

Payment unit prepared for coin mechanism.

HOUSING FOR COIN MECHANISM + CONTACTLESS PAYMENT SYSTEM

Payment unit prepared for coin mechanism and contactless payment system ¹⁾.



COIN MECHANISM WITH MONEY EXCHANGER (NRI)

Payment unit including money exchanger. Installed on the left or right side of the machine. Coin insert at the top. Extendable, ballbearing mounted. Suitable for coffee coins, Euros and other currency.

Colour: black

Dimensions WxDxH: 137x355x569 mm

COIN MECHANISM WITH MONEY EXCHANGER (NRI) + CONTACTLESS PAYMENT SYSTEM

Payment unit including money exchanger and prepared for contactless payment system ¹⁾.

Article no. Recommended
Retail Price in €

OptiMeX
OptiMe
OptiBeanX
OptiBean Touch
OptiFresh Touch
OptiFresh Bean Touch
OptiVend Touch

1010301-***	860,-	●	●	●	●	●	●	●
1010301-***	1.080,-	●	●	●	●	●	●	●
1010303-***	485,-	●	●	●	●	●	●	●
1010303-***	700,-	●	●	●	●	●	●	●
1010302-***	1.450,-	●	●	●	●	●	●	●
1010302-***	1.670,-	●	●	●	●	●	●	●

¹⁾ On request. Forward all information relating to the contactless payment system to Animo.

CONNECT YOUR MACHINE TO AN ANIMO PAYMENT SYSTEM

	Article no.	Recommended Retail Price in €	OptiMeX	OptiMe	OptiBeanX	OptiBean Touch	OptiFresh Touch	OptiFresh Bean Touch	OptiVend Touch
HOUSING FOR MONEY EXCHANGER (NRI) Payment unit prepared for money exchanger.	1010304-***	585,-	●	●	●	●	●	●	●
HOUSING FOR MONEY EXCHANGER (NRI) + CONTACTLESS PAYMENT SYSTEM Payment unit prepared for money exchanger and contactless payment system ¹⁾ .	1010304-***	800,-	●	●	●	●	●	●	●
 HOUSING FOR CONTACTLESS PAYMENT SYSTEMS Payment unit prepared for contactless payment system ¹⁾ . Colour: black Dimensions WxDxH: 137x355x569 mm	1010305	485,-	●	●	●	●	●	●	●

1) On request. Forward all information relating to the contactless payment system to Animo.

	Article no.	Recommended Retail Price in €	OptiMeX*	OptiMe*	OptiBeanX	OptiBean Touch	OptiFresh Touch	OptiFresh Bean Touch	OptiVend Touch
 MINI HOUSING FOR CONTACTLESS PAYMENT SYSTEM Mini housing prepared for contactless payment systems ¹⁾ . Colour: black Dimensions WxDxH: 120x179x141 mm	1010343	155,-	●	●	●	●	●	●	●
 TOKEN FOR COIN MECHANISM Set of 100 pcs	1006039	99,-	●	●	●	●	●	●	●

1) On request. Forward all information relating to the contactless payment system to Animo.

Dimensions and weight equipment

Description	Dimensions and weight without packaging						Dimensions and weight with packaging					
	W	x	D	x	H	Weight	W	x	D	x	H	Weight
OptiMe X 11	380	x	515	x	600	32	680	x	595	x	630	37
OptiMe X 12	380	x	515	x	600	32	680	x	595	x	630	37
OptiMe X 21	380	x	515	x	600	32	680	x	595	x	630	37
OptiMe X 22	380	x	515	x	600	32	680	x	595	x	630	37
OptiMe 11	380	x	515	x	600	31	680	x	595	x	630	36
OptiMe 12	380	x	515	x	600	31	680	x	595	x	630	36
OptiMe 21	380	x	515	x	600	32	680	x	595	x	630	37
OptiMe 22	380	x	515	x	600	32	680	x	595	x	630	37
OptiMe Milk cooler	230	x	420	x	455	19	295	x	505	x	475	21
OptiMe Cup Heater	230	x	420	x	455	11	295	x	505	x	475	13
OptiBean X 10	409	x	567	x	780	34	585	x	790	x	805	39
OptiBean X 11	409	x	567	x	780	35	585	x	790	x	805	40
OptiBean X 12	409	x	567	x	780	35	585	x	790	x	805	40
OptiBean X 13	409	x	567	x	780	36	585	x	790	x	805	41
OptiBean X 20	409	x	567	x	780	35	585	x	790	x	805	40
OptiBean X 21	409	x	567	x	780	36	585	x	790	x	805	41
OptiBean X 22	409	x	567	x	780	36	585	x	790	x	805	41
OptiBean X 23	409	x	567	x	780	37	585	x	790	x	805	42
OptiBean X 12 TS	409	x	567	x	870	37	585	x	790	x	1025	42
OptiBean X 22 TS	409	x	567	x	870	38	585	x	790	x	1025	43
OptiBean 2 Touch	409	x	565	x	792	38	585	x	790	x	805	44
OptiBean 2 XL Touch	409	x	565	x	792	38	585	x	790	x	805	44
OptiBean 3 Touch	409	x	565	x	792	38	585	x	790	x	805	44
OptiBean 3 XL Touch	409	x	565	x	792	38	585	x	790	x	805	44
OptiFresh 1 Touch	409	x	575	x	773	38	585	x	790	x	885	44
OptiFresh 2 Touch	409	x	575	x	773	38	585	x	790	x	885	44
OptiFresh 3 Touch	409	x	575	x	773	38	585	x	790	x	885	44
OptiFresh 4 Touch	409	x	575	x	773	41	585	x	790	x	885	47
OptiFresh Bean 1 Touch	409	x	575	x	865	41	585	x	790	x	885	47
OptiFresh Bean 2 Touch	409	x	575	x	865	41	585	x	790	x	885	47
OptiFresh Bean 3 Touch	409	x	575	x	865	41	585	x	790	x	885	47
OptiFresh Bean 4 Touch	409	x	575	x	865	44	585	x	790	x	885	50

Description	Dimensions and weight without packaging						Dimensions and weight with packaging					
	W	x	D	x	H	Weight	W	x	D	x	H	Weight
OptiVend 11s Touch	248	x	501	x	569	18	375	x	675	x	560	22
OptiVend 21s Touch	248	x	501	x	569	18	375	x	675	x	560	22
OptiVend 32s Touch	248	x	501	x	569	18	375	x	675	x	560	22
OptiVend 11s TS Touch	248	x	501	x	686	19	375	x	675	x	780	23
OptiVend 32 Touch	409	x	521	x	569	23	535	x	675	x	560	28
OptiVend 33 Touch	409	x	521	x	569	23	535	x	675	x	560	28
OptiVend 42 Touch	409	x	521	x	569	23	535	x	675	x	560	28
OptiVend 43 Touch	409	x	521	x	569	23	535	x	675	x	560	28
OptiVend 11 TS Touch	409	x	521	x	686	24	535	x	675	x	780	29
OptiVend 22 TS Touch	409	x	521	x	686	24	535	x	675	x	780	29
OptiVend 32 TS Touch	409	x	521	x	686	24	535	x	675	x	780	29
OptiVend 33 TS Touch	409	x	521	x	686	24	535	x	675	x	780	29
OptiVend 42 TS Touch	409	x	521	x	686	24	535	x	675	x	780	29
OptiVend 43 TS Touch	409	x	521	x	686	24	535	x	675	x	780	29
OptiVend 11 TL Touch	409	x	521	x	806	25	535	x	675	x	900	30
OptiVend 22 TL Touch	409	x	521	x	806	25	535	x	675	x	900	30
OptiVend 22 TS HS DUO Touch	409	x	521	x	686	25	535	x	675	x	780	30
OptiVend 42 TS HS DUO Touch	409	x	521	x	686	25	535	x	675	x	780	30
Cup Dispenser	140	x	375	x	570	13	430	x	790	x	250	13
OptiCool	226	x	490	x	580	27.5	600	x	800	x	820	27.5
OptiCool TS	226	x	490	x	580	27.5	600	x	800	x	820	27.5
KKWn	300	x	430	x	545	8.5	600	x	800	x	780	8.5



ANIMO.EU

Animo B.V. - Export department
Dr. A.F. Philipsweg 47
9403 AD Assen
The Netherlands
Tel. : +31 (0)592 37 63 76
E-mail : info@animo.nl
Internet : www.animo.eu
Hr. nr. 04016432, Meppel

Follow us

