





*Recommended Spare Part

Type : OPTIBEAN X - HOT & COLD
 Articlenumber : 1004121

From mach. nr. : 2FF46224
 Date : 08 - 2022

Page : 1 - 4
 Rev : 1.0 / 06-09-2023

Rated voltage : 1N~ 230V 50-60Hz 1950W


Drawer : JK
 Date : 02-02-2023

Spare Parts Info

ANIMO

www.animo.eu

Tubing diagram



Meter ware
 06343 - Hose 12 x 8 silicon
 1007346 - Hose 8x 5 silicon
 1000748 - Hose 8 x 6 PTFE
 1000747 - Hose 6 x 4 PTFE
 1000746 - Hose 4 x 2 PTFE

21	1011369	4 x 2 L= 600mm	PTFE
20b	1010369	Insulation Ø6mm L=550	
20a	1001937	6 x 4 L= 520mm	PTFE
19	1007524	6 x 4 L= 270mm	PTFE
18	1007529	10 x 7 L= 330	
17	1010779	8 x 5 L= 150mm	silicon
16	1008175	8x5 - 7x4	silicon
15	1001946	12 x 8 L= 225mm	silicon
14	35038	12 x 8 L= 240mm	silicon
13	1010780	8 x 5 L= 250mm	silicon
12	1010886	8 x 5 L= 220mm	silicon
11	1010782	4 x 2 L= 430mm	PTFE
10	1010783	4 x 2 L= 650mm	PTFE
9	1010780	8 x 5 L= 250mm	silicon
8	1010779	8 x 5 L= 150mm	silicon
7	1004850	4 x 2 L= 210mm	PTFE
6b	35121	Insulation Ø6mm L=350mm	
6a	1001936	6 x 4 L= 330mm	PTFE
5	1007966	4 x 2 L= 320mm	PTFE
4	1007525	6 x 4 L= 415mm	PTFE
3	1007523	6 x 4 L= 230mm	PTFE
2	1004675	8 x 6 L= 160mm	PTFE
1	1009300	8 x 6 L= 210mm	PTFE

*Recomended Spare Part

Type : OPTIBEAN X - HOT & COLD
 Articulenumber : 1004121

From mach. nr. : 2FF46224
 Date : 08 - 2022

Page : 2 - 4
 Rev : 1.0 / 06-09-2023


Rated voltage : 1N~ 230V 50-60Hz 1950W

Drawer : JK
 Date : 02-02-2023

Spare Parts Info

ANIMO

www.animo.eu



*Recommended Spare Part

Type : OPTIBEAN X - HOT & COLD
 Articulenumber : 1004121

From mach. nr. : 2FF46224
 Date : 08 - 2022

Page : 3 - 4
 Rev : 1.0 / 06-09-2023

Rated voltage : 1N~ 230V 50-60Hz 1950W

Drawer : JK
 Date : 02-02-2023

Spare Parts Info

ANIMO
 www.animo.eu

